

CONTENTS

POWDER COATING

- Standard Powdercoating Specifications
- Pipe, Tube, Fittings, Panels & Gates

HIGH SECURITY FENCING

- 1.2 Traditional Palisade Fencing
- 1.4 Promax High Security Mesh Fencing

MESH PLUS

- 2.1 High Security Welded Wire Mesh Sheets
- 2.2 General Purpose Mesh Sheets
- 2.3 Roof Mesh, General Purpose Mesh Rolls
- 2.4 Stainless Steel Mesh, Bushfire Mesh
- 2.5 Expanded Mesh
- 2.6 Perforated Mesh

PROFENCE STEELMESH FENCING

- 3.1 Avenue Fencing
- 3.2 Harvest Fencing
- 3.3 Garden Fencing
- 3.4 Boulevard Fencing
- 3.5 Boulevard Security Fencing
- 3.6 Pool Fencing
- 3.7 Esplanade Fencing

CHAINWIRE FENCING

Diamond Fence Chainwire

- 4.1 Chainwire Supply Only Estimating
- 4.1 60mm Mesh Rolls
- 4.2 50mm Mesh Rolls
- 4.5 49mm Mesh Rolls
- 4.5 45mm Mesh Rolls
- 4.6 40mm Mesh Rolls
- 4.7 30mm Mesh Rolls
- 4.7 25mm Mesh Rolls

Chainwire Fence Posts & Stays

- 5.1 Pipe - Stock Lengths
- 5.3 Security Fencing
- 5.4 Domestic Fencing
- 5.6 Tennis Court Fencing
- 5.6 Cricket Practice Nets

Standard Chainwire Gates

- 6.1 Domestic Gates - 900~1200mm High
- 6.2 Round Top Gates - 1500~1800mm High
- 6.3 Security Gates - 1800mm, 2100mm High

WIRE PRODUCTS & ACCESSORIES

- 7.1 Cable Wire & Tie Wire
- 7.1 Barbed & Razor Wire
- 7.2 Wire Rope, Straightened & Cut Wire
- 7.3 Security & Bag Ties
- 7.3 Wire Fastening Rings and Tools

FENCE & GATE FITTINGS

- 8.1 High Security Fence Fittings & Accessories
- 8.2 Fasteners
- 8.3 Uni-Fit Chainwire Fencing & Railing System
- 8.5 Fence Clamps
- 8.7 Hinges
- 8.8 Caps, Brackets & Joiners
- 8.8 Temporary Fence Clamps
- 8.9 Catches, Latches & Drop Bolts

SAFETY FENCING & BARRIERS

- 9.1 Edge Protection Fencing
- 9.1 Safety & Walkway Fencing
- 9.1 Balltube Fencing
- 9.2 Guard Rail - W Beam
- 9.4 RMS (RTA) Pedestrian Fencing

RURAL GUARD

- 10.1 Star Pickets
- 10.2 Farm Gates & Fittings
- 10.2 Yard & Pig Floor Mesh

TUBULAR FENCING

Decotube

- 11.1 Steel Tubular Fencing

Security Tube

- 12.1 Security Tubular Fencing
- 12.2 Security Tube Rail & Pickets

TERMS & CONDITIONS

POWDERCOATING

Standard Powdercoat Specifications

Steel fencing components supplied by Protective Fencing are powder coated in accordance with:-
AS/NZS 4506-2005 Metal Finishing - Thermoset Powder Coatings

All galvanised components are pre-treated to ensure film adhesion. Components are coated using Interpon D1000 Excel[™] powder developed for applications over porous substrates such as hot dip galvanised steel.
Finished product is tested and recorded as per AS/NZS 4506-2002 for coating thickness, cure and adhesion.

Properly handled, installed and maintained powder coating will provide a long lasting decorative and durable surface coating. Regular maintenance is critical to ensuring ongoing service life. Refer Promax Security Fencing document "Galvanised & Powder Coated Fencing Care & Maintenance" and AS/NZS 4506-2002 Appendix D.

Repairs to powder coating require the damaged surface to be rendered clean and sound prior to applying a compatible organic coating. Refer Interpon document "Repairs to Powder Coating".

Refer to **profence.com.au** for details of Warranties and Care and Maintenance.

Standard Powdercoat Colours

Satin Black, Heritage Green, Primrose, Safety Yellow.

Non standard colours are available subject to colour and quantity.

HIGH SECURITY FENCING SYSTEMS



Protecting the Future Through Innovation

TRADITIONAL PALISADE FENCING



Promax Traditional Palisade System

Protective manufacture and supply palisade fence materials based on traditional specifications using pencil point TFB posts and 150UB 14.0 posts and standard 50x50x6 rails. All W pales are of a BS1722-12 approved design and comply with all the strength requirements specified in Annex A & C. Rail positions have been standardised and positioned for greatest security for 2 and 3 rail fences. Other rail positions can be supplied to match existing installations. Standard Promax pale centres have been determined by the current Railcorp specification of max 80mm between pales to reduce the risk of jacking pales apart with commonly available scissor jacks. Rails with pale centres to suit the wider BS1722-12 specified centres of 155mm are also available upon request.

Protective are happy to advise, schedule material quantities and estimate cost on a project by project basis.

A powdercoating service is available from Protective's in house powdercoating plant. Protective is an approved applicator of Interpon D1000 powder over porous substrates such as hot dip galvanised steel.

SPECIFICATIONS

Post - Pencil point: 2400 High fence - 100x45 TFB
3000 High Fence - 150 UB 14.0

Rail: 50x50x6 EA

Fish Plate: 40x8 140 long


Corner Fish Plate: 40x8 215 long W Profile

W Pale: 71x21x3 W Profile


Rail Fixings: M12x30 Cuphead Bolt and Shear Nut

Pale Fixings: M8x25 T Bolt and Shear Nut
or - Stainless Steel Huck Pin and Collar

Mid Bay Support: M12x500 thread Rod and Nuts



STANDARD 2400 HIGH TRI POINT STRAIGHT PALISADE PANEL



STANDARD 3000 HIGH TRI POINT STRAIGHT PALISADE FENCE

TRADITIONAL PALISADE FENCING

Posts - Hot Dip Galvanised

CODE	FENCE HEIGHT	POST	RAILS	LENGTH	WEIGHT
PP TFB 3300 G	2400	TFB 100x45	2	3300	25.4Kg
PP UB150 4000 G	3000	150UB 14.0	3	4000	58.0Kg

- Posts to suit other height fences, different embedment lengths or baseplated available upon request
- Earth tag plates optional

Rails - Hot Dip Galvanised

CODE	SIZE	LENGTH	PALE CENTRES	WEIGHT
PP REA50506G	50X50X6 EA	2640	150	12.7Kg
PP REA502705G	50X50X6 EA	2705	155	13.0Kg

- Rails available to suit specific specifications also available upon request.
- All rails include hole for Mid Bay Support - Earth holes if required optional.

Pales - W Section - Hot Dip Galvanised

CODE	FENCE HEIGHT	TYPE	TOP	LENGTH	WEIGHT
PP PALE 2400 G	2400	STRAIGHT	TRI POINT	2350	5.64Kg
PP PALE 2950 HDG	3000	STRAIGHT	TRI POINT	2950	7.07Kg
PP PALE 2950 CG	3000	CURVED	TRI POINT	2350	7.28Kg

- Pales to suit other height fences or special rails centres available upon request.

Fittings & Accessories - Hot Dip Galvanised

CODE	DESCRIPTION	WEIGHT
FISHPLATES		
PP FP G	INTERMEDIATE FISH PLATE - 40x8 140 long	0.38Kg
PP EFP G	END FISH PLATE - 40x8 80 long	0.38Kg
PP CFP	CORNER FISH PLATE - W - 40x8 215 long	0.50Kg
MID BAY SUPPORT - REQUIRED ON ALL FENCES OVER 2400 HIGH		
DCRM12500H	M12X500 THREADED ROD + 2 x M12 NUTS	0.85Kg
FASTENERS - ALL FASTENERS SUPPLIED IN PACKS OF 100 ONLY		
PP M12 30 HTG	RAIL FIXING - M12X30 CUPHEAD BOLT	3.8Kg/100
PSNM12G	RAIL FIXING - M12 SHEAR NUT	2.7Kg/100
DWG12MM	RAIL FIXING - M12 WASHER	0.63Kg/100
PP TB825G	PALE FIXING - M8X25 T BOLT	1.15Kg/100
PSNM8G	PALE FIXING - M8 SHEAR NUT	1.3Kg/100
PSSPIN	PALE FIXING - SS HUCK PIN	2.23Kg/100
PP SSFCOLL	PALE FIXING - SS COLLAR	0.67Kg/100

Gates

- Gates to match fence height and customer specifications available and priced accordingly.
- Single PA gates are made as a post, gate and lock assembly and installed as one unit.
- Double gates are supplied with posts, gates, hinges and locks.

PROMAX HIGH SECURITY MESH FENCING

PROTECTING THE FUTURE
THROUGH INNOVATION

THE PROMAX SECURITY MESH FENCING SYSTEM

The Promax™ Mesh Fencing System has been developed to enhance the industry accepted 358 mesh market with new innovative perimeter posts, mesh, toppings and gates.

Protective Fencing is a leading Australian manufacturer of closed spaced security mesh with Promax™ 358 mesh (71 x 9mm aperture) as it's signature product.

Promax™ close spaced steel mesh provides maximum security by being extremely difficult to climb or penetrate using normal hand tools and yet has a minimal visual impact on the surrounds and an important clear line of horizontal sight.

Promax™ Security fencing utilizes the unique design registered Promax™ 'T' Post, a high strength medium weight post designed to combine better aesthetics with faster installation and less potential maintenance. All Promax™ mesh systems can be specified using either post and rail systems or successfully utilized as rail-less structures depending on the end use security level requirements.

The Promax™ 'T' post is designed to incorporate the use of the SMRTrail™ cable management system, an Australian first for mesh type security fencing. The Promax 'T' post has been engineered to accept anti ram cables and SMRTrail™ cable management without reducing the structural integrity of the fence. Promax™ 'T' Post 358 Mesh Fencing System has been engineered and certified for high security fencing up to 4.8M. For fencing over 4.8M or with wind restrictive topping other super T posts configurations are available.

- Unique engineered 'T' post - high strength medium weight.
- Design Registered.
- Easier faster installation - clear access for mesh attachment.
- Flat web for more versatile attachment of topping extensions etc.
- Curved corner option for improved aesthetics and reduced climb-ability.
- Optional rail-less fencing for reduced material and installation costs.
- High security yet low cost, low visual impact all in one PA gate system.
- Innovative topping extensions.
- Adaptable to all forms of mesh, expanded metal or perforated sheet.
- One piece 90° corner construction.
- Above ground cable management feature conforming to AS 3000.
- High security yet low cost, low visual impact all in one PA gate system.



OPTIONAL TAPERED BLADE BARBED WIRE EXTENSION



BULLDOG RAZOR TOPPING



TOP RAIL WITH CONCERTINA RAZOR TAPE ATTACHMENT

PROMAX HIGH SECURITY MESH FENCING




TYPICAL 2.4M HIGH 358 MESH FENCE
INGROUND OR BASE PLATED

COMPONENT LIST - PER PANEL SET

DESCRIPTION	QUANTITY
T POST - 100x6mm~125 x6mm BULB FLAT x CONTINUOUS WELD 10X30mm SLOTS - HDG	2
RAIL - 50x50x5mm EQUAL ANGLE - 10X30mm SLOTS- HDG	2
PROMAX 358 MESH - 75x13mm WIRE CENTRES - ZALCOTE FINISH	1

FASTENERS

MESH/RAIL TO POST - M8X30mm CUPHEAD BOLT, MESH CLIP & SHEAR NUT - GAL	40
---	----



PROMAX MESH FENCING

Posts - Hot Dip Galvanised

CODE	NOMINAL HEIGHT	STD LENGTH	EMBEDMENT	SLOTS	WEIGHT
T POST - 100x120x6 - INGROUND - 14SQ EXTENSION & EARTH HOLES INCLUDED - 8.82Kg/M HDG					
PP T100 3400 G	2400	3400	925	235	45.2Kg
PP T100 3700 G	2700	3700	925	241	49.2Kg
PP T100 4500 G	3000	4500	1425	246	59.4Kg
PP T100 5000 G	3600	5000	1325	246	66.5Kg

Flanged posts available - 150x250x16mm plates

CORNER POST - 125X125X8 EA - EARTH TAG INCLUDED - 16Kg/M HDG

PP CP 3400 G	2400	3400	NA	235	54.40
PP CP 3700 G	2700	3700	NA	241	59.20
PP CP 4500 G	3000	4500	NA	246	72.00
PP CP 5000 G	3600	5000	NA	246	80.00

Flanged posts available - 150x250x16mm plates

Security Mesh - Zalcote

CODE	WIDTH	HEIGHT	LONG WIRE	CROSS WIRE	PITCH	WEIGHT
PROMAX 358 VARIMESH - 30, 50, 70 VARI PITCH ONE END - SUIT POST CENTRES 2440						
PMZ3582424	2404	2396	Ø4	Ø4	75X13	51.6Kg
PMZ35824255	2404	2550	Ø4	Ø4	75X13	54.0Kg
PMZ3582427	2404	2695	Ø4	Ø4	75X13	58.5Kg
PMZ3582430	2404	2994	Ø4	Ø4	75X13	64.9Kg
PMZ3582432	2404	3202	Ø4	Ø4	75X13	70.5Kg
PMZ3582436	2404	3592	Ø4	Ø4	75X13	75.7Kg
PMZ3582440	2404	3995	Ø4	Ø4	75X13	84.7Kg

PROMAX 258 VARIMESH - SUIT POST CENTRES 2440

PMZ25824239	2404	2396	Ø4	Ø4	50X13	55.1Kg
PMZ25824255	2404	2550	Ø4	Ø4	50X13	57.5Kg
PMZ2582427	2404	2695	Ø4	Ø4	50X13	62.5Kg
PMZ2582430	2404	2994	Ø4	Ø4	50X13	69.3Kg
PMZ2582432	2404	3202	Ø4	Ø4	50X13	75.3Kg
PMZ2582436	2404	3592	Ø4	Ø4	50X13	81.0Kg
PMZ2582440	2404	3995	Ø4	Ø4	50X13	90.2Kg

PROMAX UTRAMESH - 30, 40, 50, 65 VARI PITCH BOTH SIDE - 2X40 PITCH CENTRALLY - SUIT POST CENTRES 2440

PMZ3582424ULTRA	2404	2396	Ø5.6	Ø4	75X13	61.5Kg
PMZ3582430ULTRA	2404	2994	Ø5.6	Ø4	75X13	76.6Kg
PMZ3582440ULTRA	2404	3995	Ø5.6	Ø4	75X13	101.5Kg

Rails - Vertical Slots - 2410 Length - Hot Dip Galvanised

CODE	DESCRIPTION	SIZE	WEIGHT
PP BREA504GH	STD. RAIL - MESH SLOTS ONLY	50X50X4 EA	9.0Kg
PP TRE504GH	TOP RAIL - MESH SLOTS + CONCERTINA SLOTS	50X50X4 EA	9.0Kg

PROMAX MESH FENCING

Post Extensions - 50x50x5 EA - Hot Dip Galvanised

CODE	DESCRIPTION	WEIGHT
PPEXT4B	4 BARB STRAIGHT @ 105 BARB CENTRES	2.2Kg
PPEXT8B	8 BARB STRAIGHT @ 105 BARB CENTRES	3.8Kg
PPEXT11B	11 BARB STRAIGHT @ 105 BARB CENTRES	4.9Kg
PPEXT8B45	8 BARB CRANKED 45° @ 105 BARB CENTRES	3.3Kg

Fasteners - Galvanised

CODE	DESCRIPTION	WEIGHT
PM830G	MESH FIX - M8 X 30 CUP HEAD BOLT	1.52Kg
PSNM8G	MESH FIX - M8 SHEAR NUT	1.3Kg
PFCG	MESH FIX - MESH CLIP	1.0Kg
PRUC	CONCERTINA RAZOR TAPE FIXING CLIP	1.1Kg
PP M12 30 HTG	EXTENSION FIX - M12X30 CUP HEAD BOLT	3.8Kg
PSNM12G	EXTENSION FIX - M12 SHEAR NUT	2.7Kg
DWG12MM	EXTENSION FIX - M12 FLAT WASHER	1.1Kg

- Mesh fasteners per panel - 2400 Fence = 40, 2700 Fence = 42, 3000 Fence = 44, 3600 Fence = 48

Accessories

CODE	DESCRIPTION	WEIGHT
BARBED WIRE		
WIRE BARB 157 HT 500M	BARBED WIRE - HI TENSILE 1.57 @ 500M - GAL	1.52Kg
WIRE BARB 250 GH	BARBED WIRE - IOWA SOFT 2.50 @ 250M - GAL	45.0Kg

CONCERTINA RAZOR TAPE

RAZ-CONCERTINA	Ø550 SHORT BARB - 12.9M @ 300 CENTRES - 8.6M @ 200 CENTRES	11.3Kg
RAZ-CONC760MM	Ø760 S/S LONG BARB - 8.4M @ 300 CENTRES	13.89Kg

FLAT LOOP RAZOR TAPE

RAZ-FLAT LOOP	Ø550 SHORT BARB - 70 LOOPS - 19M @ 1/2 SPACING - 12.8M @ 1/3 SPACING	10.5Kg
---------------	--	--------

BULLDOG SPIKE TOPPING - HDG

PBRT	TOPPING STRIP - H50xW110 - 800 LONG - 2 x OVERLAP FIXING	1.1Kg
------	--	-------

Gates


- Gates to match fence height and customer specifications are available and priced accordingly.
- Single PA gates are made as a post, gate and lock assembly and installed as one unit.
- Double gates are supplied with posts, gates, hinges and locks. Gate leaves can be made in bolt together sections for ease of transport or export.

[illegible]

HIGH SECURITY WELDED WIRE STEEL MESH SHEETS


Promax 358 Varimesh Sheets - Ø4 Wire - 75x13 Centres

CODE	SHEET (WxH)	FINISH	STOCK	WEIGHT
PMZ3582418	2404 x 1798mm	ZALCOTE	NO	38.7Kg
PMZ3582421	2404 x 2097mm	ZALCOTE	NO	45.0Kg
PMZ3582424	2404 x 2396mm	ZALCOTE	YES	51.5Kg
PMZ3582425	2404 x 2552mm	ZALCOTE	YES	54.8Kg
PMZ3582427	2404 x 2695mm	ZALCOTE	NO	57.9Kg
PMZ3582430	2404 x 2994mm	ZALCOTE	YES	64.3Kg
PMZ3582432	2404 x 3200mm	ZALCOTE	YES	68.7Kg
PMZ3582436	2404 x 3592mm	ZALCOTE	YES	77.0Kg
PMZ3582440	2404 x 3995mm	ZALCOTE	YES	85.6Kg
PMZ3582445	2404 x 4500mm	ZALCOTE	NO	95.3Kg
PMZ3582450	2404 x 5000mm	ZALCOTE	NO	105.9Kg




Promax 258 (Gantry Mesh) Mesh Sheets - Ø4 Wire - 50x13 Centres

CODE	SHEET (WxH)	FINISH	STOCK	WEIGHT
PMZ2582424	2404 x 2396mm	ZALCOTE	YES	55.2Kg
PMZ2582430	2404 x 2994mm	ZALCOTE	NO	69.0Kg
PMZ2582432	2404 x 3202mm	ZALCOTE	NO	75.3Kg




Ausgrid (EA) Mesh Sheets - Ø5 Wire - 75x25 Centres

CODE	SHEET (WxH)	FINISH	STOCK	WEIGHT
PMB7525EA	2405 X 3000mm	BRIGHT	NO	60.0Kg
PMB7525EAZL	2405 X 3000mm	ZALCOTE	YES	64.8Kg
PMB7525EAGH	2405 X 3000mm	HDG	NO	65.0Kg



Promax Ultra Mesh Sheets - Ø5 x Ø4 Wire

CODE	SHEET (WxH)	FINISH	STOCK	WEIGHT
PMZ3582424ULTRA	2400 X 2400mm	ZALCOTE	NO	58.6Kg
PMZ3582430ULTRA	2400 X 3000mm	ZALCOTE	NO	73.2Kg



STEEL MESH PRODUCTS

General Purpose Welded Wire Mesh Sheets

CODE	WIRE	SIZE(CENTRES)	SHEET (WxH)	FINISH	STOCK	WEIGHT
MP112	Ø2.5mm	25x25mm	2400 x 3000mm	STD GAL	YES	25.3Kg
MP112HS	Ø2.5mm	25x25mm	1200 x 2000mm	STD GAL	YES	8.5Kg
MP113	Ø3.15mm	25x25mm	2400 x 3000mm	STD GAL	YES	34.6Kg
MP224	Ø4.0mm	50x50mm	2400 x 3000mm	STD GAL	YES	28.8Kg
MP224HS	Ø4.0mm	50x50mm	1200 x 2000mm	STD GAL	YES	9.8Kg
MP234	Ø4.0mm	50x75mm	2400 x 3000mm	STD GAL	YES	24.1Kg
MP234HS	Ø4.0mm	50x75mm	1200 x 2000mm	STD GAL	YES	8.2Kg
MP444	Ø4.0mm	100x100mm	2400 x 3000mm	STD GAL	YES	14.7Kg
MP444HS	Ø4.0mm	100x100mm	1200 x 2000mm	STD GAL	YES	5.1Kg
MP225	Ø5.0mm	50x50mm	2400 x 3000mm	STD GAL	YES	45.2Kg
MP235	Ø5.0mm	50x75mm	2400 x 3000mm	STD GAL	YES	37.9Kg
MP445	Ø5.0mm	100x100mm	2400 x 3000mm	STD GAL	YES	23.1Kg
MP445A	Ø5.6mm	100x100mm	2400 x 3000mm	STD GAL	YES	28.9Kg
MP465A	Ø5.6mm	150x100mm	2400 x 3000mm	STD GAL	YES	23.9Kg




CUSTOM SHEET & APPERTURE SIZES AVAILABLE SUBJECT TO QUANTITY & SPECIFICATION



STEEL MESH PRODUCTS

AUSMESH 300 - Safety Roof Welded Wire Mesh - Ø2.0mm Wire


CODE	SIZE(CENTRES)	ROLL	FINISH	STOCK	WEIGHT
RM180G5	150x300mm	1800mm x 50M	GAL	YES	24Kg
RM180PB5	150x300mm	1800mm x 50M	BLACK PVC	YES	28Kg
RM180PW5	150x300mm	1800mm x 50M	WHITE PVC	YES	28Kg
RM225G5	150x300mm	2250mm x 50M	GAL	YES	30Kg
RM240G5	150x300mm	2400mm x 50M	GAL	YES	32Kg



Roof Mesh conforms to:- AS/NZS 4389 (Safety Mesh), AS/NZS 4534 (Galvanised Coatings)
Compliant with Australian codes of practice including:-
Worksafe Victoria - Prevention of Falls in General Construction - Sept. 2008
Workcover New South Wales - Safe Work on Roofs Commercial & Industrial Buildings - Sept 2009

Welded Wire Mesh Rolls - Galvanised Ø2.0mm Wire

CODE	TYPE	SIZE(CENTRES)	ROLL	STOCK	WEIGHT	PRICE
MR3291	GENERAL	75x50mm	900mm x 10M	YES	7.75Kg	
MR3293	GENERAL	75x50mm	900mm x 30M	YES	23.25Kg	
MR32121	GENERAL	75x50mm	1200mm x 10M	YES	10.25Kg	
MR32123	GENERAL	75x50mm	1200mm x 30M	YES	30.75Kg	
MR4491	GENERAL	100x100mm	900mm x 10M	NO	4.75Kg	
MR4493	GENERAL	100x100mm	900mm x 30M	NO	14.25Kg	
MR44121	GENERAL	100x100mm	1200mm x 10M	YES	6.25Kg	
MR44123	GENERAL	100x100mm	1200mm x 30M	YES	18.75Kg	
MR44181	GENERAL	100x100mm	1800mm x 10M	NO	9.25Kg	
MR44183	GENERAL	100x100mm	1800mm x 30M	NO	27.75Kg	
MF6692	FLOWER	150x150mm	900mm x 200M	NO	65Kg	
MF66122	FLOWER	150x150mm	1200mm x 200M	NO	84.6Kg	
MT46121	TOMATO	100x150mm	1200mm x 10M	YES	10.25Kg	
DM180G1	DOG	75,100,125,150x150mm	1800mm x 10M	YES	7.72Kg	
DM180G3	DOG	75,100,125,150x150mm	1800mm x 30M	YES	23.15Kg	
DM120G1	DOG	75,100,125,150x150mm	1200mm x 10M	YES	4.98Kg	
DM120G3	DOG	75,100,125,150x150mm	1200mm x 30M	NO	14.98Kg	



Dog mesh has graduated line wire spacings starting at bottom with 75mm spacing to contain smaller animals, graduating up to 150mm for larger animals.

Welded Wire Mesh Rolls - PVC Coated Galvanised Wire - Ø2.0 Core Wire

TYPE	SIZE(CENTRES)	ROLL	STOCK	ROLL	PALLET	PRICE
MRPC4491	GENERAL	100x100mm	900mm x 10M	YES	5.6Kg	36 ROLLS
MRPC44121	GENERAL	100x100mm	1200mm x 10M	YES	7.3Kg	36 ROLLS
MRPC44181	GENERAL	100x100mm	1800mm x 10M	YES	10.8Kg	36 ROLLS

MINIMUM ORDER QUANTITIES MAY APPLY

Colours - Black, White and Green (green subject to availability)
PVC coated galvanised mesh is ideal for fencing and barriers where corrosion resistance is important.




STEEL MESH PRODUCTS



Stainless Steel Welded Wire Mesh Sheets


CODE	WIRE	SIZE(CENTRES)	SHEET (HxW)	GRADE	STOCK	WEIGHT
SSMP001	Ø3.0mm	25x25mm	2400 x 1200mm	304	YES	12.9Kg
SSMP006	Ø3.0mm	25x25mm	2400 x 1200mm	316	YES	12.9Kg
SSMP002	Ø3.0mm	40x40mm	2400 x 1200mm	304	YES	8.1Kg
SSMP007	Ø3.0mm	40x40mm	2400 x 1200mm	316	YES	8.1Kg
SSMP003	Ø3.0mm	50x50mm	2400 x 1200mm	304	YES	6.5Kg
SSMP008	Ø3.0mm	50x50mm	2400 x 1200mm	316	YES	6.5Kg
SSMP004	Ø4.0mm	50x50mm	2400 x 1200mm	304	YES	11.7Kg
SSMP009	Ø4.0mm	50x50mm	2400 x 1200mm	316	YES	11.7Kg
SSMP005	Ø6.0mm	100x100mm	2400 x 1200mm	304	YES	13.5Kg
SSMP010	Ø6.0mm	100x100mm	2400 x 1200mm	316	YES	13.5Kg



Custom stainless steel mesh sheets from minimum 4mm wire are available on request. Maximum width 2400mm and maximum height 3000mm. Minimum quantities apply.

Stainless Steel Welded Wire Mesh Rolls - 30M Rolls


CODE	WIRE	SIZE(CENTRES)	WIDTH	GRADE	STOCK	ROLL
R25086	Ø2.0mm	50.8 x 50.8mm	1220mm	316	YES	37Kg
R22544	Ø2.0mm	25.4 x 25.4mm	1220mm	304	YES	72Kg
R162544	Ø1.6mm	25.4 x 25.4mm	1220mm	304	YES	46Kg
R161274	Ø1.6mm	12.7 x 12.7mm	1220mm	304	YES	92Kg
R121274	Ø1.2mm	12.7 x 12.7mm	1220mm	304	YES	52Kg
R10954	Ø1.0mm	9.5 x 9.5mm	1220mm	304	YES	48Kg
R086354	Ø0.8mm	6.35 x 6.35mm	1220mm	304	YES	46Kg






Stainless Steel Woven Wire Bushfire Mesh - 30M Roll

CODE	WIRE	APERATURE	WIDTH	OPEN AREA	GRADE	STOCK	ROLL
BFM12	Ø0.9mm	1.64x1.64mm	1200mm	41%	304	YES	124Kg
BFM15	Ø0.9mm	1.64x1.64mm	1500mm	41%	304	YES	153Kg

Bushfire mesh has been tested in accordance with AS3959 2009 'Construction of Buildings in Bushfire Prone Areas' and complies with the requirements of bushfire protection factor BAL-FZ (protection from flame contact, together with ember attack and radiant heat of more than 40kW/m²).



EXPANDED MESH PRODUCTS



FLORMESH CLAMP KIT

Flormesh® Walkway Mesh - Untreated or Galvanised Steel

CODE	LWM	SWM	TxW	WxH	WEIGHT	OPEN
FM14060	135mm	45mm	5x8mm	600x3000mm	14Kg/M ²	64%
FM14075	135mm	45mm	5x8mm	750x3000mm	14Kg/M ²	64%
FM14090	135mm	45mm	5x8mm	900x3000mm	14Kg/M ²	64%
FM14120	135mm	45mm	5x8mm	1200x3000mm	14Kg/M ²	64%
FM19060	135mm	45mm	5x11mm	600x3000mm	19Kg/M ²	52%
FM19075	135mm	45mm	5x11mm	750x3000mm	19Kg/M ²	52%
FM19090	135mm	45mm	5x11mm	900x3000mm	19Kg/M ²	52%
FM19120	135mm	45mm	5x11mm	1200x3000mm	19Kg/M ²	52%
FM22060	75mm	30mm	5x7.5mm	600x3000mm	22Kg/M ²	50%
FM22075	75mm	30mm	5x7.5mm	750x3000mm	22Kg/M ²	50%
FM22090	75mm	30mm	5x7.5mm	900x3000mm	22Kg/M ²	50%
FM22120	75mm	30mm	5x7.5mm	1200x3000mm	22Kg/M ²	50%
FM28060	75mm	30mm	5x10.5mm	600x3000mm	28Kg/M ²	30%
FM28075	75mm	30mm	5x10.5mm	750x3000mm	28Kg/M ²	64%
FM28090	75mm	30mm	5x10.5mm	900x3000mm	28Kg/M ²	64%
FM28120	75mm	30mm	5x10.5mm	1200x3000mm	28Kg/M ²	64%
FMCLAMP	CLAMP KIT - TOP & BOTTOM CLAMPS + NUT/BOLT - CARTON 100					



Security Mesh - Untreated or Galvanised Steel

CODE	LWM	SWM	TxW	WxH	WEIGHT
SM3030	19mm	12mm	3x3mm	1200x2400mm	12Kg/M ²
LD3056	102mm	50mm	3x5.6mm	2400x1200mm	5.7Kg/M ²
SM3050	38mm	15mm	3x5mm	1200x2400mm	15.7Kg/M ²
LD3039	50mm	19mm	3x3.9mm	1200x2400mm	8.3Kg/M ²







PERFORATED METAL PRODUCTS

Standard Perforated Metal Sheet - Untreated or Galvanised Steel


CODE	HOLE	PITCH	OPEN	THICK.	SHEET	WEIGHT
P0163212	1.60mm	3.20mm	23%	1.2mm	2440x1220mm	7.2Kg/M ²
P0243710	2.41mm	3.66mm	40%	1.0mm	2440x1220mm	4.7Kg/M ²
P0335616	3.25mm	5.59mm	30%	1.6mm	2440x1220mm	8.7Kg/M ²



P0163212




P0243710




P0335616


P0486416	4.76mm	6.35mm	51%	1.6mm	2440x1220mm	6.1Kg/M ²
P0648516	6.35mm	8.50mm	51%	1.6mm	2440x1220mm	6.1Kg/M ²
P0648530	6.35mm	8.50mm	51%	3.0mm	2440x1220mm	11.5Kg/M ²
P0801116	8.00mm	11.11mm	47%	1.6mm	2440x1220mm	6.6Kg/M ²



P0486416




P0648516 & P0648530



P0801116

P0951416	9.50mm	14.30mm	40%	1.6mm	2440x1220mm	7.5Kg/M ²
P0951430	9.50mm	14.30mm	40%	3.0mm	2440x1220mm	14.0Kg/M ²
P1271716	12.70mm	17.27mm	49%	1.6mm	2440x1220mm	6.4Kg/M ²
P1271730	12.70mm	17.27mm	49%	3.0mm	2440x1220mm	11.9Kg/M ²
P1912530	19.05mm	25.40mm	51%	3.0mm	2440x1220mm	11.5Kg/M ²



P0951416 & P0951430



P1271716 & P1271730






P1912530

Custom Perforated Sheet


Using different hole patterns, pitches, thicknesses margins, sheet sizes and material finishes unique and creative panels can be tailored to enhance aesthetics or improve engineering designs.

Custom Perforated Image Technology is also available to re-create your desired image or artwork in perforated metal.





Steel Edge Trim - 3M

CODE	G	W	T
GSET2	2	12	1.0
GSET4	4	19	1.2
GSET6	6	25	1.6
GSET8	8	25	1.6
GSET10	10	25	1.6



AVENUE FENCING



Avenue Fencing - Complies with AS2423-2002

CODE	DESCRIPTION	WEIGHT	STOCK
PANELS - Ø5mm WELDED WIRE			
SAP 090 240 GH	HEIGHT 900mm - WIDTH 2400mm - HEAVY GALVANISED	9.6Kg	YES
SAP 120 240 GH	HEIGHT 1200mm - WIDTH 2400mm - HEAVY GALVANISED	11.2Kg	YES

GATES - FRAME 25x25x1.2mm - ALL HEIGHT AND WIDTH DIMENSIONS ARE ACTUAL

SASG 090 100 GH	SINGLE GATE - H900 x W960mm - HOT DIP GALVANISED	7.2Kg	YES
SASG 090 150 GH	SINGLE GATE - H900 x W1480mm - HOT DIP GALVANISED	10Kg	YES
SASG 120 100 GH	SINGLE GATE - H1200 x W960mm - HOT DIP GALVANISED	8.8Kg	YES
SASG 120 150 GH	SINGLE GATE - H1200 x W1480mm - HOT DIP GALVANISED	12.2Kg	YES

- Double gate comprises of 2 single gate leaves

POSTS - 50x50x1.6mm

PST 5050 150 GS	POST - 50 x 50 x 1500mm - SUIT 900mm PANEL - GALVANISED	4Kg	YES
PST 5050 190 GS	POST - 50 x 50 x 1900mm - SUIT 1200mm PANEL - GALVANISED	5Kg	YES
PSTF 5050 900 GS	FLANGEPOST 50 x 50 x 1000mm - SUIT 900mm PANEL - GALVANISED	4Kg	YES
PSTF 5050 120 GS	FLANGEPOST 50 x 50 x 1300mm - SUIT 1200mm PANEL - GALVANISED	5Kg	YES


FITTINGS - NOT INCLUDED IN PANEL/POST PRICES - PLEASE ORDER SEPARATELY

SCP6G	PANEL FIXING 6 PACK (6 CLIPS + 6 TEK SCREWS) - GALVANISED	YES
SCP18G	PANEL FIXING 18 PACK (18 CLIPS + 18 TEK SCREWS) - GALVANISED	YES
SCP30G	PANEL FIXING 30 PACK (30CLIPS + 30 TEK SCREWS) - GALVANISED	YES
DPC5050BL	POST CAP 50 x 50mm - BLACK PLASTIC	YES
S STD SG PK G	SINGLE GATE PACK - 2 HINGES, 'D' LATCH & STRIKER, 2 GATE CAPS	YES
S STD DG PK G	DBLE GATE PACK - 4 HINGES, 'D' LATCH & STRIKER, DROP BOLT, 4 GATE CAPS	YES

- Non standard gate POA.

HARVEST FENCING

NEW



Harvest Fencing - Complies with AS2423-2002

CODE	DESCRIPTION	WEIGHT	STOCK
PANELS - Ø5mm WELDED WIRE			
SHP 090 240 ZL	HEIGHT 900mm - WIDTH 2400mm - ZALCOTE	10.5Kg	YES
SHP 120 240 ZL	HEIGHT 1200mm - WIDTH 2400mm - ZALCOTE	12.9Kg	YES

GATES - FRAME 25x25x1.2mm - NOTE: ALL GATE HEIGHT AND WIDTH DIMENSIONS ARE ACTUAL

SHSG 090 100 GH	SINGLE GATE - H900 x W960mm - HOT DIP GALVANISED	8Kg	YES
SHSG 090 150 GH	SINGLE GATE - H900 x W1460mm - HOT DIP GALVANISED	12Kg	YES
SHSG 120 100 GH	SINGLE GATE - H1200 x W960mm - HOT DIP GALVANISED	11Kg	YES
SHSG 120 150 GH	SINGLE GATE - H1200 x W1460mm - HOT DIP GALVANISED	15Kg	YES

- Double gate comprises of 2 single gate leaves

POSTS 50X50X1.6m


PST 5050 150 GS	POST - 50 x 50 x 1500mm - GALVANISED	4Kg	YES
PST 5050 190 GS	POST - 50 x 50 x 1900mm - GALVANISED	5Kg	YES

FITTINGS - NOT INCLUDED IN PANEL/POST PRICES - PLEASE ORDER SEPARATELY

SCP6G	PANEL FIXING 6 PACK (6 CLIPS + 6 TEK SCREWS) - GALVANISED	YES
SCP18G	PANEL FIXING 18 PACK (18 CLIPS + 18 TEK SCREWS) - GALVANISED	YES
SCP30G	PANEL FIXING 30 PACK (30CLIPS + 30 TEK SCREWS) - GALVANISED	YES
DPC5050BL	POST CAP 50 x 50mm - BLACK PLASTIC	YES
S STD SG PK G	SINGLE GATE PACK - 2 HINGES, 'D' LATCH & STRIKER, 2 GATE CAPS	YES
S STD DG PK G	DBLE GATE PACK - 4 HINGES, 'D' LATCH & STRIKER, DROP BOLT, 4 GATE CAPS	YES

- Non standard gate POA.

GARDEN FENCING



Garden Fencing - Complies with AS2423-2002

CODE	DESCRIPTION	WEIGHT	STOCK
PANELS - Ø5mm WELDED WIRE			
SGP 075 240 ZL	HEIGHT 750mm - WIDTH 2400mm - ZALCOTE	11.2Kg	YES
SGP 090 240 ZL	HEIGHT 900mm - WIDTH 2400mm - ZALCOTE	13.7Kg	YES
SGP 120 240 ZL	HEIGHT 1200mm - WIDTH 2400mm - ZALCOTE	16.7Kg	YES
SGP 150 240 ZL	HEIGHT 1500mm - WIDTH 2400mm - ZALCOTE	19.7Kg	YES
SGP 180 240 ZL	HEIGHT 1800mm - WIDTH 2400mm - ZALCOTE	22.7Kg	YES

GATES - NOTE: ALL GATE HEIGHT AND WIDTH DIMENSIONS ARE ACTUAL

SGSG 090 100 GH	SINGLE GATE - H900 x W960mm - HOT DIP GALVANISED	8.5Kg	YES
SGSG 090 150 GH	SINGLE GATE - H900 x W1460mm - HOT DIP GALVANISED	11.5Kg	YES
SGSG 120 100 GH	SINGLE GATE - H1200 x W960mm - HOT DIP GALVANISED	10.2Kg	YES
SGSG 120 150 GH	SINGLE GATE - H1200 x W1460mm - HOT DIP GALVANISED	13.8Kg	YES
SGSG 150 100 GH	SINGLE GATE - H1500 x W960mm - HOT DIP GALVANISED	13Kg	YES
SGSG 150 150 GH	SINGLE GATE - H1500 x W1460mm - HOT DIP GALVANISED	16.4Kg	YES
SGSG 180 100 GH	SINGLE GATE - H1800 x W960mm - HOT DIP GALVANISED	14.2Kg	YES
SGSG 180 150 GH	SINGLE GATE - H1800 x W1460mm - HOT DIPPED GALVANISED	19.5Kg	YES

• Double gate comprises of 2 single gate leaves. Non standard gate POA. Hinges extra see below.


POSTS

PST 5050 150 GS	POST - 50 x 50 x 1500mm - GALVANISED	4Kg	YES
PST 5050 190 GS	POST - 50 x 50 x 1900mm - GALVANISED	5Kg	YES
PST 5050 210 GS	POST - 50 x 50 x 2100mm - GALVANISED	6Kg	YES
PST 5050 240 GS	POST - 50 x 50 x 2400mm - GALVANISED	7Kg	YES

FITTINGS - NOT INCLUDED IN PANEL/POST PRICES - PLEASE ORDER SEPARATELY

SCP6G	PANEL FIXING 6 PACK (6 CLIPS + 6 TEK SCREWS) - GALVANISED	YES
SCP18G	PANEL FIXING 18 PACK (18 CLIPS + 18 TEK SCREWS) - GALVANISED	YES
SCP30G	PANEL FIXING 30 PACK (30CLIPS + 30 TEK SCREWS) - GALVANISED	YES
DPC5050BL	POST CAP 50 x 50mm - BLACK PLASTIC	YES
S STD SG PK G	SINGLE GATE PACK - 2 HINGES, 'D' LATCH & STRIKER, 2 GATE CAPS	YES
S STD DG PK G	DBLE GATE PACK - 4 HINGES, 'D' LATCH & STRIKER, DROP BOLT, 4 GATE CAPS	YES

BOULEVARD SAFETY & SECURITY MESH FENCING



Boulevard Safety & Security Mesh Fencing - Complies with AS2423-2002

CODE	DESCRIPTION	WEIGHT	STOCK
------	-------------	--------	-------

PANELS - Ø5mm WELDED WIRE

SBP 090 240 ZL	HEIGHT 900mm - WIDTH 2400mm - ZALCOTE	16.8Kg	YES
SBP 120 240 ZL	HEIGHT 1200mm - WIDTH 2400mm - ZALCOTE	20.5Kg	YES
SBP 180 240 ZL	HEIGHT 1800mm - WIDTH 2400mm - ZALCOTE	26.2Kg	YES

GATES - FRAME 25NB - ALL HEIGHT AND WIDTH DIMENSIONS ARE ACTUAL - EL= EACH LEAF

SBSG 090 100 GH	SINGLE GATE - H900 x W975mm - HOT DIP GALVANISED	13Kg	YES
SBSG 120 100 GH	SINGLE GATE - H1200 x W975mm - HOT DIP GALVANISED	15.4Kg	YES
SBSG 180 100 GH	SINGLE GATE - H1800 x W975mm - HOT DIP GALVANISED	19.6Kg	YES
SBDG 090 300 GH	DOUBLE GATE - 2 OF H900 x W1475mm GATE LEAVES - HDG	18Kg/EL	YES
SBDG 120 300 GH	DOUBLE GATE - 2 OF H1200 x W1475mm GATE LEAVES - HDG	21.2Kg/EL	YES
SBDG 180 300 GH	DOUBLE GATE - 2 OF H1800 x W1475mm GATE LEAVES - HDG	26.6Kg/EL	YES

POST ASSEMBLIES


PSTBP401500	POST - 40NB x 1500mm - SUIT 900mm PANEL - GALVANISED	6Kg	YES
PSTBP501800	POST - 50NB x 1800mm - SUIT 1200mm PANEL - GALVANISED	7.6Kg	YES
PSTBP401800	POST - 40NB x 1800mm - SUIT 1200mm PANEL - GALVANISED	6Kg	YES
PSTBP501980	POST - 50NB x 1980mm - SUIT 1200mm PANEL - GALVANISED	8.4Kg	YES
PSTBP801980	POST - 80NB x 1980mm - SUIT 1200mm PANEL - GALVANISED	13.8Kg	YES
PSTBP402400	POST - 40NB x 2400mm - SUIT 1800mm PANEL - GALVANISED	8Kg	YES
PSTBP502600	POST - 50NB x 2600mm - SUIT 1800mm PANEL - GALVANISED	11Kg	YES
PSTBP802600	POST - 80NB x 2600mm - SUIT 1800mm PANEL - GALVANISED	17.6Kg	YES

FITTINGS - NOT INCLUDED IN PANEL/POST PRICES - PLEASE ORDER SEPARATELY

SCP6G	PANEL FIXING 6 PACK (6 CLIPS + 6 TEK SCREWS) - GAL.	YES
SCP18G	PANEL FIXING 18 PACK (18 CLIPS + 18 TEK SCREWS) - GAL.	YES
SCP30G	PANEL FIXING 30 PACK (30CLIPS + 30 TEK SCREWS) - GAL.	YES
DH4025	2 PART HINGE - POST 40NB / GATE 25NB - GALVANISED	YES
DH5025D	2 PART INTERLOCKING HINGE - POST 50NB / GATE 25NB - GAL.	YES
DH8025D	2 PART INTERLOCKING HINGE - POST 80NB / GATE 25NB - GAL.	YES
DCAC29	'D' LATCH - GALVANISED	YES
DBTS28R	'D' LATCH STRIKER - GALVANISED	YES
DCAC22	DOUBLE GATE BOW - GALVANISED	YES
DB15LG	DROP BOLT - GALVANISED	YES

• Non standard gate POA. Panels can be manufactured in Hot Dip Galvanised finish subject to minimum order requirements.

BOULEVARD SECURITY FENCING



Boulevard Security Fencing - Complies with AS2423-2002 - DET Specification - Contract 0601006

CODE	DESCRIPTION	WEIGHT
MESH PANELS - Ø5mm WELDED WIRE		
BSP 210 240 ZL	HEIGHT 2100mm - WIDTH 2400mm - ZALCOTE	29.7Kg
BSP 240 240 ZL	HEIGHT 2400mm - WIDTH 2400mm - ZALCOTE	33.5Kg

GATES - FRAME 32NB x 3.2mm - BROADHURST DOUBLE LOCK BOX KIT & DROP BOLT + HINGE COLLAR - GATE SIZES ACTUAL

BSG 210 120 GH	SINGLE GATE - H2100 x W1200mm - HOT DIP GALVANISED	33Kg
BSG 240 210 GH	SINGLE GATE - H2400 x W1200mm - HOT DIP GALVANISED	40Kg
BSG 210 480 GH	DOUBLE GATE - 2 OF H2100 x W2400mm GATE LEAVES - HDG	148.3Kg
BSG 240 480 GH	DOUBLE GATE - 2 OF H2400 x W2400mm GATE LEAVES - HDG	155.4Kg

POST ASSEMBLIES - INCLUDES 8 x Ø10mm PANEL ATTACHMENT HOLES + GALVANISED CAP


BSPS5030	INTERMEDIATE - 50NB x 3000mm - 2100mm PANEL - MEDIUM GAL	15.6Kg
BSPS5032	INTERMEDIATE - 50NB x 3250mm - 2400mm PANEL - MEDIUM GAL	16.8Kg
BSPS5036	INTERMEDIATE - 50NB x 3600mm - 2400mm PANEL - MEDIUM GAL	18.7Kg
BSPS10030	GATE POST - 100NB x 3000mm - 2100mm PANEL - MEDIUM GAL	37.2Kg
BSPS10036	GATE POST - 100NB x 3600mm - 2400mm PANEL - MEDIUM GAL	44.7Kg

FITTINGS - NOT INCLUDED IN PANEL/POST/GATE PRICES - PLEASE ORDER SEPARATELY

DUC8/10G	'U' CLIP - GALVANISED
DH08090G	M8 x 90mm HEXAGONAL BOLT & NUT - SUIT 50NB POST - GALVANISED
DH08150G	M8 x 150mm HEXAGONAL BOLT & NUT - SUIT 100NB POST - GALVANISED
DSH10032	100NB x 32NB TWO PART HINGE & ATTACHMENT - GALVANISED

CONFORMS TO DEPARTMENT OF COMMERCE SCHOOL SECURITY FENCING SPECIFICATION TYPE 3 - CONTRACT NO. 0601006

ROLL TOP POOL SAFETY FENCING



Pool Fencing - Complies with AS2423-2002 SECTION 8 - AS1926-2007

CODE	DESCRIPTION	WEIGHT	STOCK
Ø5mm HORIZONTAL WIRE - Ø8mm VERTICAL WIRE			
SPP 120 240 GH	HEIGHT 1270mm - WIDTH 2400mm - HOT DIP GALVANISED	25.3Kg	YES
SPP 150 240 GH	HEIGHT 1500mm - WIDTH 2400mm - HOT DIP GALVANISED	28.6Kg	YES

GATES - FRAME 25x25x1.2 - NOTE: ALL HEIGHT AND WIDTH DIMENSIONS ARE ACTUAL

SPSG 125 100 GH	SINGLE GATE - H1270 x W960mm - HOT DIP GALVANISED	12.1Kg	NO
SPSG 150 100 GH	SINGLE GATE - H1500 x W960mm - HOT DIP GALVANISED	14.3Kg	YES

POSTS

PST 5050 190 GS	POST - 50 x 50 x 1.6 x 1900mm - GALVANISED	5Kg	YES
PST 5050 210 GS	POST - 50 x 50 x 1.6 x 2100mm - GALVANISED	5.5Kg	YES


FITTINGS - NOT INCLUDED IN PANEL/POST PRICES - PLEASE ORDER SEPARATELY

SCP6G	PANEL FIXING 6 PACK (6 CLIPS + 6 TEK SCREWS) - GALVANISED	YES
SCP18G	PANEL FIXING 18 PACK (18 CLIPS + 18 TEK SCREWS) - GALVANISED	YES
SCP30G	PANEL FIXING 30 PACK (30CLIPS + 30 TEK SCREWS) - GALVANISED	YES
DPC5050BL	POST CAP 50 x 50mm - BLACK PLASTIC	YES
S SPR SG PK G	SINGLE GATE PACK - 2 SPRING HINGES, 2 GATE CAPS	YES
DMLTPS2BGA	MAGNA LATCH - SERIES 2	YES

TO PROVIDE MAXIMUM SAFETY POOL FENCING MUST BE INSTALLED TO THE REQUIREMENTS OF AS1926-2007 & PROPERLY MAINTAINED.

- Non standard gate POA.

ESPLANADE SWIMMING POOL SAFETY FENCING



Esplanade Fencing - Complies with AS2423-2002 SECTION 8

CODE	DESCRIPTION	WEIGHT	STOCK
RESIDENTIAL APPLICATIONS - ALL HEIGHT & WIDTH DIMENSIONS ARE ACTUAL			
PANELS - 25 x 25 x 1.6mm RAILS - - Ø5mm HORIZONTAL WIRE - Ø8mm VERTICAL WIRE			
SEP1224R	HEIGHT 1200mm - WIDTH 2400mm - HOT DIP GALVANISED	19.9Kg	YES
GATES - 25 x 25 x 1.6mm RAILS - ALL HEIGHT AND WIDTH DIMENSIONS ARE ACTUAL			
SESG 120 100 R	SINGLE GATE - H1200 x W960mm - HOT DIP GALVANISED	11.5Kg	YES
HEAVY DUTY COMMERCIAL APPLICATIONS - ALL HEIGHT & WIDTH DIMENSIONS ARE ACTUAL			
PANELS - 30 x 30 x 1.6mm RAILS - Ø5mm HORIZONTAL WIRE - Ø8mm VERTICAL WIRE			
SEP 130 240 GH	HEIGHT 1270mm - WIDTH 2400mm - HOT DIP GALVANISED	23.7Kg	NO
GATES - 30 x 30 x 1.6mm RAILS			
SESG 130 090 GH	SINGLE GATE - H1270 x W875mm - HOT DIP GALVANISED	11.3Kg	YES
SESG 130 130 GH	SINGLE GATE - H1270 x W1325mm - HOT DIP GALVANISED	16.5Kg	NO
POSTS			
PST 5050 190 GS	POST - 50 x 50 x 1.6 x 1900mm - GALVANISED	5Kg	YES

FITTINGS

RESIDENTIAL - NOT INCLUDED IN PANEL/POST PRICES - PLEASE ORDER SEPARATELY


SEBP425G	25x25 RAIL BRACKET 4 PACK (4 BRACKETS + 8 TEK SCREWS) - GAL	YES
SEBP1225G	25x25 RAIL BRACKET 12 PACK (12 BRACKETS + 24 TEK SCREWS) - GAL	YES
SEBP2025G	25x25 RAIL BRACKET 20 PACK (20 BRACKETS + 40 TEK SCREWS) - GAL	YES

COMMERCIAL - NOT INCLUDED IN PANEL/POST PRICES - PLEASE ORDER SEPARATELY


SEBP430G	30x30 RAIL BRACKET 4 PACK (4 BRACKETS + 8 TEK SCREWS) - GAL	YES
SEBP1230G	30x30 RAIL BRACKET 12 PACK (12 BRACKETS + 24 TEK SCREWS) - GAL	YES
SEBP2030G	30x30 RAIL BRACKET 20 PACK (20 BRACKETS + 40 TEK SCREWS) - GAL	YES
DPC5050BL	POST CAP 50 x 50mm - BLACK PLASTIC	YES
S SPR SG PK G	SINGLE GATE PACK - 2 SPRING HINGES, 2 GATE CAPS	YES
DMLTPS2BGA	MAGNA LATCH - SERIES 2	YES

TO PROVIDE MAXIMUM SAFETY POOL FENCING MUST BE INSTALLED TO THE REQUIREMENTS OF AS1926-2007 & PROPERLY MAINTAINED.


- Non standard gate POA.




DIAMOND FENCE CHAINWIRE - Manufactured from Quality Australian OneSteel Wire



BARB / BARB SELVEDGE = BB



KNUCKLE / KNUCKLE SELVEDGE = KK



KNUCKLE / BARB SELVEDGE = KB

Specifications

- Nominated chainwire length is a strained length of roll.
- Knuckle & barb selvedge is client nominated at time of purchase
- Mesh size is the maximum distance between the wires forming the parallel sides of the diamond
- Chainwire height measurement is from knuckle to knuckle or to the **first twist** of the barbs.
- Galvanising: Standard Grade - Class B to AS1650-2.2, Heavy Grade - Class A to AS 1725-2.2



NOTE: CUTTING FEE APPLIES FOR CUT ROLLS

Chainwire 60 x 2.24 Mesh - Temporary Fencing Applications

CODE	HEIGHT	MESH	FINISH	SELVEDGE	STOCK	STD ROLL	ROLL KG
C180 060 224 GS KK/20	1800mm	60x2.24mm	STANDARD GAL	KK	YES	20M	38Kg
C210 060 224 GS KK	2100mm	60x2.24mm	STANDARD GAL	KK	YES	20M	57Kg

NOTES FOR ALL CHAINWIRE:

- Chainwire marked "YES" in the stock column is subject to peak demand and may not ALWAYS be available.
- Non stock items are made to order and are subject to minimum order quantities and extended lead times.
- Combinations of wire types and diameters are available. Minimum order quantities and extended lead times may apply.

Chainwire 50 x 2.50 Mesh - Security Fencing Applications

CODE	HEIGHT	MESH	FINISH	SELVEDGE	STOCK	STD ROLL	ROLL KG
50 x 2.50 MESH - HEAVY GALVANISED							
C045 050 250 GH KK	450mm	50x2.50mm	HEAVY GAL	KK	YES	15M	12Kg
C060 050 250 GH KK	600mm	50x2.50mm	HEAVY GAL	KK	YES	15M	15Kg
C075 050 250 GH KK	750mm	50x2.50mm	HEAVY GAL	KK	YES	15M	19Kg
C090 050 250 GH KK	900mm	50x2.50mm	HEAVY GAL	KK	YES	15M	22Kg
C105 050 250 GH KK	1050mm	50x2.50mm	HEAVY GAL	KK	YES	15M	25Kg
C120 050 250 GH KK	1200mm	50x2.50mm	HEAVY GAL	KK	YES	15M	30Kg
C150 050 250 GH KK	1500mm	50x2.50mm	HEAVY GAL	KK	YES	15M	36Kg
C150 050 250 GH KB	1500mm	50x2.50mm	HEAVY GAL	KB	YES	15M	36Kg
C180 050 250 GH BB	1800mm	50x2.50mm	HEAVY GAL	BB	NO	15M	42Kg
C180 050 250 GH KB	1800mm	50x2.50mm	HEAVY GAL	KB	YES	15M	42Kg
C180 050 250 GH KK	1800mm	50x2.50mm	HEAVY GAL	KK	YES	15M	42Kg
C210 050 250 GH BB	2100mm	50x2.50mm	HEAVY GAL	BB	NO	15M	52Kg
C210 050 250 GH KB	2100mm	50x2.50mm	HEAVY GAL	KB	YES	15M	52Kg
C210 050 250 GH KK	2100mm	50x2.50mm	HEAVY GAL	KK	YES	15M	52Kg
C240 050 250 GH BB	2400mm	50x2.50mm	HEAVY GAL	BB	NO	15M	59Kg
C240 050 250 GH KB	2400mm	50x2.50mm	HEAVY GAL	KB	NO	15M	59Kg
C240 050 250 GH KK	2400mm	50x2.50mm	HEAVY GAL	KK	YES	15M	59Kg
C270 050 250 GH KB	2700mm	50x2.50mm	HEAVY GAL	KB	NO	15M	65Kg
C270 050 250 GH KK	2700mm	50x2.50mm	HEAVY GAL	KK	YES	15M	65Kg
C300 050 250 GH KB	3000mm	50x2.50mm	HEAVY GAL	KB	NO	10M	49Kg
C300 050 250 GH KK	3000mm	50x2.50mm	HEAVY GAL	KK	YES	10M	49Kg
C360 050 250 GH KK	3600mm	50x2.50mm	HEAVY GAL	KK	YES	10M	58Kg
50 x 2.50 MESH - BLACK PVC							
C045 050 250 PB KK	450mm	50x2.50mm	BLACK PVC	KK	NO	15M	14Kg
C060 050 250 PB KK	600mm	50x2.50mm	BLACK PVC	KK	NO	15M	18Kg
C075 050 250 PB KK	750mm	50x2.50mm	BLACK PVC	KK	YES	15M	22Kg
C090 050 250 PB KK	900mm	50x2.50mm	BLACK PVC	KK	YES	15M	26Kg
C105 050 250 PB KK	1050mm	50x2.50mm	BLACK PVC	KK	YES	15M	30Kg
C120 050 250 PB KK	1200mm	50x2.50mm	BLACK PVC	KK	YES	15M	34Kg
C150 050 250 PB KB	1500mm	50x2.50mm	BLACK PVC	KB	NO	15M	43Kg
C150 050 250 PB KK	1500mm	50x2.50mm	BLACK PVC	KK	YES	15M	43Kg
C180 050 250 PB BB	1800mm	50x2.50mm	BLACK PVC	BB	NO	15M	50Kg
C180 050 250 PB KB	1800mm	50x2.50mm	BLACK PVC	KB	YES	15M	50Kg
C180 050 250 PB KK	1800mm	50x2.50mm	BLACK PVC	KK	YES	15M	50Kg
C210 050 250 PB BB	2100mm	50x2.50mm	BLACK PVC	BB	NO	15M	57Kg
C210 050 250 PB KB	2100mm	50x2.50mm	BLACK PVC	KB	YES	15M	57Kg
C210 050 250 PB KK	2100mm	50x2.50mm	BLACK PVC	KK	YES	15M	57Kg
C240 050 250 PB BB	2400mm	50x2.50mm	BLACK PVC	BB	NO	15M	67Kg
C240 050 250 PB KB	2400mm	50x2.50mm	BLACK PVC	KB	YES	15M	67Kg
C240 050 250 PB KK	2400mm	50x2.50mm	BLACK PVC	KK	YES	15M	67Kg
C270 050 250 PB KB	2700mm	50x2.50mm	BLACK PVC	KB	NO	15M	73Kg
C270 050 250 PB KK	2700mm	50x2.50mm	BLACK PVC	KK	YES	15M	73Kg
C300 050 250 PB KB	3000mm	50x2.50mm	BLACK PVC	KB	NO	10M	57Kg
C300 050 250 PB KK	3000mm	50x2.50mm	BLACK PVC	KK	NO	10M	57Kg
C360 050 250 PB KK	3600mm	50x2.50mm	BLACK PVC	KK	NO	10M	67Kg

CONTINUED NEXT PAGE

Chainwire 50 x 2.50 Mesh - Security Fencing Applications

CODE	HEIGHT	MESH	FINISH	SELVEDGE	STOCK	STD ROLL	ROLL KG
50 x 2.50 MESH - GREEN PVC							
C045 050 250 PG KK	450mm	50x2.50mm	GREEN PVC	KK	NO	15M	14Kg
C060 050 250 PG KK	600mm	50x2.50mm	GREEN PVC	KK	NO	15M	18Kg
C075 050 250 PG KK	750mm	50x2.50mm	GREEN PVC	KK	NO	15M	22Kg
C090 050 250 PG KK	900mm	50x2.50mm	GREEN PVC	KK	YES	15M	26Kg
C105 050 250 PG KK	1050mm	50x2.50mm	GREEN PVC	KK	NO	15M	30Kg
C120 050 250 PG KK	1200mm	50x2.50mm	GREEN PVC	KK	YES	15M	34Kg
C150 050 250 PG KB	1500mm	50x2.50mm	GREEN PVC	KB	NO	15M	43Kg
C150 050 250 PG KK	1500mm	50x2.50mm	GREEN PVC	KK	YES	15M	43Kg
C180 050 250 PG BB	1800mm	50x2.50mm	GREEN PVC	BB	NO	15M	50Kg
C180 050 250 PG KB	1800mm	50x2.50mm	GREEN PVC	KB	YES	15M	50Kg
C180 050 250 PG KK	1800mm	50x2.50mm	GREEN PVC	KK	YES	15M	50Kg
C210 050 250 PG BB	2100mm	50x2.50mm	GREEN PVC	BB	NO	15M	57Kg
C210 050 250 PG KB	2100mm	50x2.50mm	GREEN PVC	KB	NO	15M	57Kg
C210 050 250 PG KK	2100mm	50x2.50mm	GREEN PVC	KK	YES	15M	57Kg
C240 050 250 PG BB	2400mm	50x2.50mm	GREEN PVC	BB	NO	15M	67Kg
C240 050 250 PG KB	2400mm	50x2.50mm	GREEN PVC	KB	NO	15M	67Kg
C240 050 250 PG KK	2400mm	50x2.50mm	GREEN PVC	KK	NO	15M	67Kg
C270 050 250 PG KB	2700mm	50x2.50mm	GREEN PVC	KB	NO	15M	73Kg
C270 050 250 PG KK	2700mm	50x2.50mm	GREEN PVC	KK	NO	15M	73Kg
C300 050 250 PG KB	3000mm	50x2.50mm	GREEN PVC	KB	NO	10M	57Kg
C300 050 250 PG KK	3000mm	50x2.50mm	GREEN PVC	KK	NO	10M	57Kg
C360 050 250 PG KK	3600mm	50x2.50mm	GREEN PVC	KK	NO	10M	67Kg

Chainwire 50 x 3.15 Mesh - Heavy Duty Security Fencing Applications

CODE	HEIGHT	MESH	FINISH	SELVEDGE	STOCK	STD ROLL	ROLL KG
50 x 3.15 MESH - HEAVY GALVANISED							
C090 050 315 GH KK	900mm	50x3.15mm	HEAVY GAL	KK	NO	15M	36Kg
C105 050 315 GH KK	1050mm	50x3.15mm	HEAVY GAL	KK	YES	15M	40Kg
C120 050 315 GH KK	1200mm	50x3.15mm	HEAVY GAL	KK	YES	15M	47Kg
C150 050 315 GH BB	1500mm	50x3.15mm	HEAVY GAL	BB	NO	15M	58Kg
C150 050 315 GH KB	1500mm	50x3.15mm	HEAVY GAL	KB	NO	15M	58Kg
C150 050 315 GH KK	1500mm	50x3.15mm	HEAVY GAL	KK	YES	15M	58Kg
C180 050 315 GH BB	1800mm	50x3.15mm	HEAVY GAL	BB	NO	10M	46Kg
C180 050 315 GH KB	1800mm	50x3.15mm	HEAVY GAL	KB	YES	10M	46Kg
C180 050 315 GH KK	1800mm	50x3.15mm	HEAVY GAL	KK	YES	10M	46Kg
C210 050 315 GH BB	2100mm	50x3.15mm	HEAVY GAL	BB	NO	10M	53Kg
C210 050 315 GH KB	2100mm	50x3.15mm	HEAVY GAL	KB	YES	10M	53Kg
C210 050 315 GH KK	2100mm	50x3.15mm	HEAVY GAL	KK	YES	10M	53Kg
C240 050 315 GH BB	2400mm	50x3.15mm	HEAVY GAL	BB	NO	10M	59Kg
C240 050 315 GH KB	2400mm	50x3.15mm	HEAVY GAL	KB	YES	10M	59Kg
C240 050 315 GH KK	2400mm	50x3.15mm	HEAVY GAL	KK	YES	10M	59Kg
C270 050 315 GH BB	2700mm	50x3.15mm	HEAVY GAL	BB	NO	10M	67Kg
C270 050 315 GH KB	2700mm	50x3.15mm	HEAVY GAL	KB	YES	10M	67Kg
C270 050 315 GH KK	2700mm	50x3.15mm	HEAVY GAL	KK	YES	10M	67Kg
C300 050 315 GH BB	3000mm	50x3.15mm	HEAVY GAL	BB	NO	10M	73Kg
C300 050 315 GH KB	3000mm	50x3.15mm	HEAVY GAL	KB	NO	10M	73Kg
C300 050 315 GH KK	3000mm	50x3.15mm	HEAVY GAL	KK	YES	10M	73Kg

www.supremelinefencing.com.au

CONTINUED NEXT PAGE

www.pro fence.com.au

Chainwire 50 x 3.15 Mesh - Heavy Duty Security Fencing Applications

CODE	HEIGHT	MESH	FINISH	SELVEDGE	STOCK	STD ROLL	ROLL KG
C360 050 315 GH BB	3600mm	50x3.15mm	HEAVY GAL	BB	NO	10M	89Kg
C360 050 315 GH KB	3600mm	50x3.15mm	HEAVY GAL	KB	NO	10M	89Kg
C360 050 315 GH KK	3600mm	50x3.15mm	HEAVY GAL	KK	YES	10M	89Kg

50 x 3.15 MESH - BLACK PVC

C090 050 315 PB KK	900mm	50x3.15mm	BLACK PVC	KK	NO	15M	43Kg
C120 050 315 PB KK	1200mm	50x3.15mm	BLACK PVC	KK	NO	15M	55Kg
C150 050 315 PB KB	1500mm	50x3.15mm	BLACK PVC	KB	NO	15M	69Kg
C150 050 315 PB KK	1500mm	50x3.15mm	BLACK PVC	KK	NO	15M	69Kg
C180 050 315 PB BB	1800mm	50x3.15mm	BLACK PVC	BB	NO	10M	55Kg
C180 050 315 PB KB	1800mm	50x3.15mm	BLACK PVC	KB	YES	10M	55Kg
C180 050 315 PB KK	1800mm	50x3.15mm	BLACK PVC	KK	YES	10M	55Kg
C210 050 315 PB KB	2100mm	50x3.15mm	BLACK PVC	KB	NO	10M	64Kg
C210 050 315 PB KK	2100mm	50x3.15mm	BLACK PVC	KK	NO	10M	64Kg
C240 050 315 PB KB	2400mm	50x3.15mm	BLACK PVC	KB	NO	10M	73Kg
C240 050 315 PB KK	2400mm	50x3.15mm	BLACK PVC	KK	NO	10M	73Kg
C270 050 315 PB KB	2700mm	50x3.15mm	BLACK PVC	KB	NO	10M	83Kg
C270 050 315 PB KK	2700mm	50x3.15mm	BLACK PVC	KK	NO	10M	83Kg
C300 050 315 PB KB	3000mm	50x3.15mm	BLACK PVC	KB	NO	10M	93Kg
C300 050 315 PB KK	3000mm	50x3.15mm	BLACK PVC	KK	NO	10M	93Kg
C360 050 315 PB KK	3600mm	50x3.15mm	BLACK PVC	KK	NO	10M	110Kg

50 x 3.15 MESH - GREEN PVC

C090 050 315 PG KK	900mm	50x3.15mm	GREEN PVC	KK	NO	15M	43Kg
C120 050 315 PG KK	1200mm	50x3.15mm	GREEN PVC	KK	NO	15M	55Kg
C150 050 315 PG KB	1500mm	50x3.15mm	GREEN PVC	KB	NO	15M	69Kg
C150 050 315 PG KK	1500mm	50x3.15mm	GREEN PVC	KK	NO	15M	69Kg
C180 050 315 PG BB	1800mm	50x3.15mm	GREEN PVC	BB	NO	10M	55Kg
C180 050 315 PG KB	1800mm	50x3.15mm	GREEN PVC	KB	NO	10M	55Kg
C180 050 315 PG KK	1800mm	50x3.15mm	GREEN PVC	KK	NO	10M	55Kg
C210 050 315 PG KB	2100mm	50x3.15mm	GREEN PVC	KB	NO	10M	64Kg
C210 050 315 PG KK	2100mm	50x3.15mm	GREEN PVC	KK	NO	10M	64Kg
C240 050 315 PG KB	2400mm	50x3.15mm	GREEN PVC	KB	NO	10M	73Kg
C240 050 315 PG KK	2400mm	50x3.15mm	GREEN PVC	KK	NO	10M	73Kg
C270 050 315 PG KB	2700mm	50x3.15mm	GREEN PVC	KB	NO	10M	83Kg
C270 050 315 PG KK	2700mm	50x3.15mm	GREEN PVC	KK	NO	10M	83Kg
C300 050 315 PG KB	3000mm	50x3.15mm	GREEN PVC	KB	NO	10M	93Kg
C300 050 315 PG KK	3000mm	50x3.15mm	GREEN PVC	KK	NO	10M	93Kg
C360 050 315 PG KK	3600mm	50x3.15mm	GREEN PVC	KK	NO	10M	110Kg

Chainwire 50 x 4.0 Mesh - Extreme Use Applications

CODE	HEIGHT	MESH	FINISH	SELVEDGE	STOCK	STD ROLL	ROLL KG
50 x 4.0 MESH - HEAVY GALVANISED							
C060 050 400 GH KK	600mm	50x4.0mm	HEAVY GAL	KK	NO	10M	26Kg
C180 050 400 GH KB	1800mm	50x4.0mm	HEAVY GAL	KB	YES	10M	73Kg
C180 050 400 GH KK	1800mm	50x4.0mm	HEAVY GAL	KK	NO	10M	73Kg

Chainwire 49 x 2.50 Mesh - Tennis Court Applications

CODE	HEIGHT	MESH	FINISH	SELVEDGE	STOCK	STD ROLL	ROLL KG
49 x 2.50 MESH - HEAVY GALVANISED							
C120 049 250 GH KK	1200mm	49x2.50mm	HEAVY GAL	KK	NO	15M	21Kg
C300 049 250 GH KK	3000mm	49x2.50mm	HEAVY GAL	KK	NO	10M	51Kg
C360 049 250 GH KK	3600mm	49x2.50mm	HEAVY GAL	KK	NO	10M	63Kg

49 x 2.50 MESH - BLACK PVC

C120 049 250 PB KK	1200mm	49x2.50mm	BLACK PVC	KK	YES	15M	35Kg
C300 049 250 PB KK	3000mm	49x2.50mm	BLACK PVC	KK	YES	10M	58Kg
C360 049 250 PB KK	3600mm	49x2.50mm	BLACK PVC	KK	YES	10M	68Kg

49 x 2.50 MESH - GREEN PVC

C120 049 250 PG KK	1200mm	49x2.50mm	GREEN PVC	KK	NO	15M	35Kg
C300 049 250 PG KK	3000mm	49x2.50mm	GREEN PVC	KK	NO	10M	58Kg
C360 049 250 PG KK	3600mm	49x2.50mm	GREEN PVC	KK	NO	10M	68Kg

Chainwire 45 x 2.50 Mesh - Tennis Court Applications - Complies with AS1725: 2010

CODE	HEIGHT	MESH	FINISH	SELVEDGE	STOCK	STD ROLL	ROLL KG
45 x 2.50 MESH - HEAVY GALVANISED							
C240 045 250 GH KK	2400mm	45x2.50mm	HEAVY GAL	KK	NO	10M	47Kg
C300 045 250 GH KK	3000mm	45x2.50mm	HEAVY GAL	KK	NO	10M	58Kg
C360 045 250 GH KK	3600mm	45x2.50mm	HEAVY GAL	KK	NO	10M	70Kg

45 x 2.50 MESH - BLACK PVC

C240 045 250 PB KK	2400mm	45x2.50mm	BLACK PVC	KK	NO	10M	57Kg
C300 045 250 PB KK	3000mm	45x2.50mm	BLACK PVC	KK	NO	10M	71Kg
C360 045 250 PB KK	3600mm	45x2.50mm	BLACK PVC	KK	NO	10M	79Kg

45 x 2.50 MESH - GREEN PVC

C240 045 250 PG KK	2400mm	45x2.50mm	GREEN PVC	KK	NO	10M	57Kg
C300 045 250 PG KK	3000mm	45x2.50mm	GREEN PVC	KK	NO	10M	71Kg
C360 045 250 PG KK	3600mm	45x2.50mm	GREEN PVC	KK	NO	10M	79Kg

Chainwire 45 x 3.15 Mesh - Tennis Court Applications - Complies with AS1725: 2010

CODE	HEIGHT	MESH	FINISH	SELVEDGE	STOCK	STD ROLL	ROLL KG
45 x 3.15 MESH - HEAVY GALVANISED							
C240 045 315 GH KK	2400mm	45x3.15mm	HEAVY GAL	KK	NO	10M	Kg
C300 045 315 GH KK	3000mm	45x3.15mm	HEAVY GAL	KK	NO	10M	Kg
C360 045 315 GH KK	3600mm	45x3.15mm	HEAVY GAL	KK	NO	10M	Kg

45 x 3.15 MESH - BLACK PVC

C240 045 315 PB KK	2400mm	45x3.15mm	BLACK PVC	KK	NO	10M	Kg
C300 045 315 PB KK	3000mm	45x3.15mm	BLACK PVC	KK	NO	10M	Kg
C360 045 315 PB KK	3600mm	45x3.15mm	BLACK PVC	KK	NO	10M	Kg

45 x 3.15 MESH - GREEN PVC

C240 045 315 PG KK	2400mm	45x3.15mm	GREEN PVC	KK	NO	10M	Kg
C300 045 315 PG KK	3000mm	45x3.15mm	GREEN PVC	KK	NO	10M	Kg
C360 045 315 PG KK	3600mm	45x3.15mm	GREEN PVC	KK	NO	10M	Kg

Chainwire 40 x 2.50 Mesh - Industrial Safety Enclosures

CODE	HEIGHT	MESH	FINISH	SELVEDGE	STOCK	STD ROLL	ROLL KG
40 x 2.50 MESH - HEAVY GALVANISED							
C240 040 250 GH KK	2400mm	40x2.50mm	HEAVY GAL	KK	NO	10M	50Kg
C300 040 250 GH KK	3000mm	40x2.50mm	HEAVY GAL	KK	NO	10M	62Kg
C360 040 250 GH KK	3600mm	40x2.50mm	HEAVY GAL	KK	NO	10M	73Kg
40 x 2.50 MESH - BLACK PVC							
C240 040 250 PB KK	2400mm	40x2.50mm	BLACK PVC	KK	NO	10M	60Kg
C300 040 250 PB KK	3000mm	40x2.50mm	BLACK PVC	KK	NO	10M	75Kg
C360 040 250 PB KK	3600mm	40x2.50mm	BLACK PVC	KK	NO	10M	83Kg
40 x 2.50 MESH - GREEN PVC							
C240 040 250 PG KK	2400mm	40x2.50mm	GREEN PVC	KK	NO	10M	60Kg
C300 040 250 PG KK	3000mm	40x2.50mm	GREEN PVC	KK	NO	10M	75Kg
C360 040 250 PG KK	3600mm	40x2.50mm	GREEN PVC	KK	NO	10M	83Kg

Chainwire 40 x 3.15 Mesh - Industrial Safety Enclosures

CODE	HEIGHT	MESH	FINISH	SELVEDGE	STOCK	STD ROLL	ROLL KG
40 x 3.15 MESH - HEAVY GALVANISED							
C240 040 315 GH KK	2400mm	40x3.15mm	HEAVY GAL	KK	NO	10M	78Kg
C300 040 315 GH KK	3000mm	40x3.15mm	HEAVY GAL	KK	NO	10M	97Kg
C360 040 315 GH KK	3600mm	40x3.15mm	HEAVY GAL	KK	NO	10M	115Kg
40 x 3.15 MESH - BLACK PVC							
C240 040 315 PB KK	2400mm	40x3.15mm	BLACK PVC	KK	NO	10M	92Kg
C300 040 315 PB KK	3000mm	40x3.15mm	BLACK PVC	KK	NO	10M	113Kg
C360 040 315 PB KK	3600mm	40x3.15mm	BLACK PVC	KK	NO	10M	137Kg
40 x 3.15 MESH - GREEN PVC							
C240 040 315 PG KK	2400mm	40x3.15mm	GREEN PVC	KK	NO	10M	92Kg
C300 040 315 PG KK	3000mm	40x3.15mm	GREEN PVC	KK	NO	10M	113Kg
C360 040 315 PG KK	3600mm	40x3.15mm	GREEN PVC	KK	NO	10M	137Kg



Chainwire 30 x 2.50 Mesh - Golf and Security Screen Applications

CODE	HEIGHT	MESH	FINISH	SELVEDGE	STOCK	STD ROLL	ROLL KG
30 x 2.50 MESH - HEAVY GALVANISED							
C180 030 250 GH KK	1800mm	30x2.50mm	HEAVY GAL	KK	YES	10M	51Kg
C240 030 250 GH KK	2400mm	30x2.50mm	HEAVY GAL	KK	NO	10M	62Kg
C300 030 250 GH KK	3000mm	30x2.50mm	HEAVY GAL	KK	YES	10M	80Kg
C360 030 250 GH KK	3600mm	30x2.50mm	HEAVY GAL	KK	NO	10M	97Kg

30 x 2.50 MESH - BLACK PVC

C180 030 250 PB KK	1800mm	30x2.50mm	BLACK PVC	KK	YES	10M	58Kg
C240 030 250 PB KK	2400mm	30x2.50mm	BLACK PVC	KK	NO	10M	76Kg
C300 030 250 PB KK	3000mm	30x2.50mm	BLACK PVC	KK	YES	10M	93Kg
C360 030 250 PB KK	3600mm	30x2.50mm	BLACK PVC	KK	NO	10M	115Kg

30 x 2.50 MESH - GREEN PVC

C180 030 250 PG KK	1800mm	30x2.50mm	GREEN PVC	KK	NO	10M	58Kg
C240 030 250 PG KK	2400mm	30x2.50mm	GREEN PVC	KK	NO	10M	76Kg
C300 030 250 PG KK	3000mm	30x2.50mm	GREEN PVC	KK	NO	10M	93Kg
C360 030 250 PG KK	3600mm	30x2.50mm	GREEN PVC	KK	NO	10M	115Kg

Chainwire 25 x 2.50 Mesh - Golf and Security Screen Applications - Only Available in KK Selvedge

CODE	HEIGHT	MESH	FINISH	SELVEDGE	STOCK	STD ROLL	ROLL KG
25 x 2.50 MESH - HEAVY GALVANISED							
C090 025 250 GH KK	900mm	25x2.50mm	HEAVY GAL	KK	NO	10M	31Kg
C180 025 250 GH KK	1800mm	25x2.50mm	HEAVY GAL	KK	NO	10M	62Kg

25 x 2.50 MESH - BLACK PVC

C090 025 250 PB KK	900mm	25x2.50mm	BLACK PVC	KK	NO	10M	33Kg
C180 025 250 PB KK	1800mm	25x2.50mm	BLACK PVC	KK	NO	10M	65Kg

Chainwire 25 x 3.15 Mesh - Golf and Security Screen Applications - Only Available in KK Selvedge

CODE	HEIGHT	MESH	FINISH	SELVEDGE	STOCK	STD ROLL	ROLL KG
25 x 3.15 MESH - HEAVY GALVANISED							
C090 025 315 GH KK	900mm	25x3.15mm	HEAVY GAL	KK	NO	10M	51Kg
C180 025 315 GH KK	1800mm	25x3.15mm	HEAVY GAL	KK	NO	10M	Kg

25x3.15 CHAINWIRE NOT AVAILABLE IN PVC FINISH

NOTES FOR ALL CHAINWIRE:

- Chainwire marked "YES" in the stock column is subject to peak demand and may not ALWAYS be available.
- Non stock items are made to order and are subject to minimum order quantities and extended lead times.
- Contact Protective Fencing for availability of other combinations of wire types and diameters. Minimum order quantities and extended lead times may apply.

SELVEDGE:

KK = Knuckle / Knuckle Selvedge KB = Knuckle / Barb Selvedge BB = Barb / Barb Selvedge

This image shows a full page of blank graph paper. The grid consists of small, uniform squares formed by thin, light gray lines. There are no margins, text, or other markings on the page.

Pipe - Stock Lengths

CODE	PIPE	LENGTH	GRADE	WEIGHT	SLING	SLING KG	STOCK
X LIGHT - GREEN END							
PIPE 25NB 65 XL	25NB	6500mm	X LIGHT	10.20Kg	91	982Kg	YES
PIPE 25NB 72 XL	25NB	7200mm	X LIGHT	11.80Kg	91	1073Kg	YES
PIPE 32NB 60 XL	32NB	6000mm	X LIGHT	12.72Kg	61	777Kg	YES
PIPE 32NB 65 XL	32NB	6500mm	X LIGHT	13.78Kg	61	841Kg	YES
PIPE 32NB 72 XL	32NB	7200mm	X LIGHT	15.48Kg	61	945Kg	YES
PIPE 40NB 60 XL	40NB	6000mm	X LIGHT	16.37 Kg	61	998Kg	YES
PIPE 40NB 65 XL	40NB	6500mm	X LIGHT	17.85Kg	61	1091Kg	YES
PIPE 40NB 72 XL	40NB	7200mm	X LIGHT	19.65Kg	61	1198Kg	YES
PIPE 50NB 60 XL	50NB	6000mm	X LIGHT	20.64Kg	37	763Kg	YES
PIPE 50NB 65 XL	50NB	6500mm	X LIGHT	22.56Kg	37	935Kg	YES
PIPE 50NB 72 XL	50NB	7200mm	X LIGHT	24.76 Kg	37	916Kg	YES
PIPE 80NB 65 XL	80NB	6500mm	X LIGHT	37.38Kg	19	710Kg	YES

LIGHT - YELLOW END

PIPE 25NB 65 GLPE	25NB	6500mm	LIGHT	13.59Kg	91	1237Kg	YES
PIPE 32NB 60 GLPE	32NB	6000mm	LIGHT	16.02Kg	61	978Kg	YES
PIPE 32NB 65 GLPE	32NB	6500mm	LIGHT	17.36Kg	61	1059Kg	YES
PIPE 40NB 65 GLPE	40NB	6500mm	LIGHT	22.04Kg	61	1345Kg	YES
PIPE 50NB 65 GLPE	50NB	6500mm	LIGHT	27.82Kg	37	1030Kg	YES
PIPE 80NB 65 GLPE	80NB	6500mm	LIGHT	45.63Kg	19	867Kg	YES

MEDIUM - BLUE END


PIPE 25NB 65 GMPE	25NB	6500mm	MEDIUM	16.4Kg	91	1487Kg	YES
PIPE 32NB 65 GMPE	32NB	6500mm	MEDIUM	21.0Kg	61	1277Kg	YES
PIPE 40NB 65 GMPE	40NB	6500mm	MEDIUM	24.1Kg	61	1467Kg	YES
PIPE 50NB 65 GMPE	50NB	6500mm	MEDIUM	33.9Kg	37	1253Kg	YES
PIPE 80NB 65 GMPE	80NB	6500mm	MEDIUM	56.1Kg	19	1065Kg	YES
PIPE 100NB 65 GMPE	100NB	6500mm	MEDIUM	81.1Kg	19	1544Kg	YES




Pipe Specifications

NOMINAL BORE	OUTSIDE DIAMETER	GRADE - WALL THICKNESS		
		X LIGHT (GREEN END)	LIGHT (YELLOW END)	MEDIUM (BLUE END)
20mm (3/4")	26.9mm (1 1/16")	2.0mm	2.3mm	2.6mm
25mm (1")	33.7mm (1 11/32")	2.0mm	2.6mm	3.2mm
32mm (1 1/4")	42.4mm (1 11/16")	2.0mm	2.6mm	3.2mm
40mm (1 1/2")	48.3mm (1 29/32")	2.3mm	2.9mm	3.2mm
50mm (2")	60.3mm (2 3/8")	2.3mm	2.9mm	3.6mm
80mm (3")	88.9mm (3 1/2")	2.9mm	3.2mm	4.0mm
100mm (4")	114.3mm (4 1/2")	-	4.5mm	-


Security Post Dimensions




INTERMEDIATE/CORNER/GATE




GATE - TRIPLE POST




GATE - DOUBLE POST



INTERMEDIATE CRANKED POSTS



CORNER CRANKED POSTS



TYPICAL BACK STAY

Security Fencing Guide - 1800mm High Chainwire Fence with 3 Rows Barbed Wire

CODE	DESCRIPTION	PIPE	LENGTH	GRADE	STOCK	WEIGHT
INTERMEDIATE POSTS - 3 x POST INDENTS FOR BARBED WIRE						
PST SX 32NB 3B 3000	STRAIGHT	32NB	3000mm	X LIGHT	YES	6.30Kg
PST SL 32NB 3B 3000	STRAIGHT	32NB	3000mm	LIGHT	YES	7.95Kg
PST BX 32NB 3B 3000	CRANKED (45°)	32NB	3000mm	X LIGHT	YES	6.30Kg
PST BL 32NB 3B 3000	CRANKED (45°)	32NB	3000mm	LIGHT	NO	7.95Kg
PST SX 32NB 3B 3250	STRAIGHT	32NB	3250mm	X LIGHT	NO	6.83Kg
PST SL 32NB 3B 3250	STRAIGHT	32NB	3250mm	LIGHT	NO	8.62Kg
PST SM 32NB 3B 3250	STRAIGHT	32NB	3250mm	MEDIUM	NO	10.40Kg
PST BX 32NB 3B 3250	CRANKED (45°)	32NB	3250mm	X LIGHT	NO	6.83Kg
PST BL 32NB 3B 3250	CRANKED (45°)	32NB	3250mm	LIGHT	NO	8.62Kg
PST SL 40NB 3B 3250	STRAIGHT	40NB	3250mm	LIGHT	NO	10.92Kg
PST SM 40NB 3B 3250	STRAIGHT	40NB	3250mm	MEDIUM	NO	11.96Kg
PST BL 40NB 3B 3250	CRANKED (45°)	40NB	3250mm	LIGHT	NO	10.92Kg
CORNER POSTS - 3 x POST INDENTS FOR BARBED WIRE						
PST SX 50NB 3B 3250	STRAIGHT	50NB	3250mm	X LIGHT	YES	11.18Kg
PST SL 50NB 3B 3250	STRAIGHT	50NB	3250mm	LIGHT	NO	13.82Kg
PST SM 50NB 3B 3250	STRAIGHT	50NB	3250mm	MEDIUM	NO	16.84Kg
PST BX 50NB 3B 3250	CRANKED (55°)	50NB	3250mm	X LIGHT	YES	11.18Kg
PST BL 50NB 3B 3250	CRANKED (55°)	50NB	3250mm	LIGHT	YES	13.82Kg
GATE POSTS - 3 x POST INDENTS FOR BARBED WIRE						
PST SX 50NB 3B 3250	STRAIGHT	50NB	3250mm	X LIGHT	YES	11.18Kg
PST SL 50NB 3B 3250	STRAIGHT	50NB	3250mm	LIGHT	NO	13.82Kg
PST SM 50NB 3B 3250	STRAIGHT	50NB	3250mm	MEDIUM	NO	16.84Kg
PST BX 50NB 3B 3250	CRANKED (45°)	50NB	3250mm	X LIGHT	YES	11.18Kg
PST BL 50NB 3B 3250	CRANKED (45°)	50NB	3250mm	LIGHT	NO	13.82Kg
PST SL 80NB 3B 3250	STRAIGHT	80NB	3250mm	LIGHT	YES	22.69Kg
PST BM 80NB 3B 3250	CRANKED (45°)	80NB	3250mm	LIGHT	NO	22.69Kg
PST SM 100NB 3B 3250	STRAIGHT	100NB	3250mm	MEDIUM	NO	40.30Kg
PST SL2X80 3B 3250	STRAIGHT - TWIN	2 x 80NB	3250mm	LIGHT	YES	46.37Kg
PST SL3X80 3B 3250	STRAIGHT - TRIPLE	3 x 80NB	3250mm	LIGHT	YES	74.35Kg
STAYS						
STY XL 32NB 3250	STRAIGHT	32NB	3250mm	X LIGHT	NO	6.83Kg
STY XL 32NB 3600	STRAIGHT	32NB	3600mm	X LIGHT	YES	7.56Kg
STY XL 25NB 2130 B	BACK STAY - BENT	25NB	2130mm	X LIGHT	NO	3.49Kg

NON STANDARD POSTS & STAYS CAN BE
SUPPLIED TO CUSTOMER REQUIREMENTS - POA

Security Fencing Guide - 2100mm High Chainwire Fence with 3 Rows Barbed Wire

CODE	DESCRIPTION	PIPE	LENGTH	GRADE	STOCK	WEIGHT
INTERMEDIATE POSTS - 3 x POST INDENTS FOR BARBED WIRE						
PST SX 32NB 3B 3250	STRAIGHT	32NB	3250	X LIGHT	NO	6.83Kg
PST SL 32NB 3B 3250	STRAIGHT	32NB	3250	LIGHT	NO	8.62Kg
PST SM 32NB 3B 3250	STRAIGHT	32NB	3250	MEDIUM	NO	10.40Kg
PST BX 32NB 3B 3250	CRANKED (45°)	32NB	3250	X LIGHT	NO	6.83Kg
PST BL 32NB 3B 3250	CRANKED (45°)	32NB	3250	LIGHT	NO	8.62Kg
PST SL 40NB 3B 3250	STRAIGHT	40NB	3250	LIGHT	NO	10.92Kg
PST SM 40NB 3B 3250	STRAIGHT	40NB	3250	MEDIUM	NO	11.96Kg
PST BL 40NB 3B 3250	CRANKED (45°)	40NB	3250	LIGHT	NO	10.92Kg

CORNER POSTS - 3 x POST INDENTS FOR BARBED WIRE

PST SX 50NB 3B 3500	STRAIGHT	50NB	3500	X LIGHT	NO	12.39Kg
PST SL 50NB 3B 3500	STRAIGHT	50NB	3500	LIGHT	NO	15.30Kg
PST SM 50NB 3B 3500	STRAIGHT	50NB	3500	MEDIUM	NO	18.65Kg
PST BX 50NB 3B 3500	CRANKED (55°)	50NB	3500	X LIGHT	NO	12.39Kg
PST BL 50NB 3B 3500	CRANKED (55°)	50NB	3500	LIGHT	NO	15.30Kg

GATE POSTS - 3 x POST INDENTS FOR BARBED WIRE

PST SX 50NB 3B 3500	STRAIGHT	50NB	3500	X LIGHT	NO	12.39Kg
PST SL 50NB 3B 3500	STRAIGHT	50NB	3500	LIGHT	NO	15.30Kg
PST SM 50NB 3B 3500	STRAIGHT	50NB	3500	MEDIUM	NO	18.65Kg
PST BX 50NB 3B 3500	CRANKED (45°)	50NB	3500	X LIGHT	NO	12.39Kg
PST BL 50NB 3B 3500	CRANKED (45°)	50NB	3500	LIGHT	NO	15.30Kg
PST SL 80NB 3B 3500	STRAIGHT	80NB	3500	LIGHT	NO	25.13Kg
PST BM 80NB 3B 3500	CRANKED (45°)	80NB	3500	LIGHT	NO	25.13Kg
PST SM 100NB 3B 3500	STRAIGHT	100NB	3500	MEDIUM	NO	44.64Kg
PST SL2X80 3B 3500	STRAIGHT - TWIN	2 x 80NB	3500	LIGHT	NO	51.46Kg
PST SL3X80 3B 3500	STRAIGHT - TRIPLE	3 x 80NB	3500	LIGHT	NO	78.98Kg

STAYS

STY XL 32NB 3250	STRAIGHT	32NB	3250	X LIGHT	NO	6.83Kg
STY XL 32NB 3600	STRAIGHT	32NB	3600	X LIGHT	YES	7.56Kg
STY XL 25NB 2130 B	BACK STAY - BENT	25NB	2130	X LIGHT	NO	3.49Kg

Domestic Fencing Guide

CODE	DESCRIPTION	PIPE	LENGTH	GRADE	STOCK	WEIGHT
900mm HIGH CHAINWIRE FENCE						
PST SX 32NB OB 1500	INTERMEDIATE POST	32NB	1500mm	X LIGHT	NO	3.15Kg
PST SL 32NB OB 1500	INTERMEDIATE POST	32NB	1500mm	LIGHT	NO	3.98Kg
PST SX 50NB OB 1600	CORNER POST	50NB	1600mm	X LIGHT	NO	5.51Kg
PST SL 50NB OB 1600	CORNER POST	50NB	1600mm	LIGHT	NO	6.80Kg
PST SX 50NB OB 1600	GATE POST	50NB	1600mm	X LIGHT	NO	5.51Kg
PST SL 50NB OB 1600	GATE POST	50NB	1600mm	LIGHT	NO	6.80Kg
STY XL 32NB 3250	STAY	32NB	3250mm	X LIGHT	NO	6.83Kg
STY XL 32NB 3600	STAY	32NB	3600mm	X LIGHT	NO	7.56Kg

Domestic Fencing Guide - cont.

CODE	DESCRIPTION	PIPE	LENGTH	GRADE	STOCK	WEIGHT
1200mm HIGH CHAINWIRE FENCE						
PST SX 32NB OB 1830	INTERMEDIATE POST	32NB	1830mm	X LIGHT	NO	3.85Kg
PST SL 32NB OB 1830	INTERMEDIATE POST	32NB	1830mm	LIGHT	NO	4.85Kg
PST SX 50NB OB 1980	CORNER POST	50NB	1980mm	X LIGHT	NO	6.82Kg
PST SL 50NB OB 1980	CORNER POST	50NB	1980mm	LIGHT	NO	8.42Kg
PST SX 50NB OB 1980	GATE POST	50NB	1980mm	X LIGHT	NO	4.85Kg
PST SL 50NB OB 1980	GATE POST	50NB	1980mm	LIGHT	NO	6.82Kg
STY XL 32NB 3250	STAY	32NB	3250mm	X LIGHT	NO	6.83Kg
STY XL 32NB 3600	STAY	32NB	3600mm	X LIGHT	NO	7.56Kg

1500mm HIGH CHAINWIRE FENCE

PST SX 32NB OB 2130	INTERMEDIATE POST	32NB	2130mm	X LIGHT	NO	4.48Kg
PST SL 32NB OB 2130	INTERMEDIATE POST	32NB	2130mm	LIGHT	NO	5.65Kg
PST SX 50NB OB 2300	CORNER POST	50NB	2300mm	X LIGHT	NO	7.92Kg
PST SL 50NB OB 2300	CORNER POST	50NB	2300mm	LIGHT	NO	9.78Kg
PST SX 50NB OB 2300	GATE POST	50NB	2300mm	X LIGHT	NO	7.92Kg
PST SL 50NB OB 2300	GATE POST	50NB	2300mm	LIGHT	NO	9.78Kg
STY XL 32NB 3250	STAY	32NB	3250mm	X LIGHT	NO	6.83Kg
STY XL 32NB 3600	STAY	32NB	3600mm	X LIGHT	NO	7.56Kg

1800mm HIGH CHAINWIRE FENCE

PST SX 32NB OB 2400	INTERMEDIATE POST	32NB	2400mm	X LIGHT	YES	5.04Kg
PST SL 32NB OB 2400	INTERMEDIATE POST	32NB	2400mm	LIGHT	YES	6.36Kg
PST SL 40NB OB 2400	INTERMEDIATE POST	40NB	2400mm	LIGHT	NO	8.07Kg
PST SX 50NB OB 2600	CORNER POST	50NB	2600mm	X LIGHT	YES	8.95Kg
PST SL 50NB OB 2600	CORNER POST	50NB	2600mm	LIGHT	NO	11.05Kg
PST SX 80NB OB 2600	GATE POST	80NB	2600mm	X LIGHT	YES	14.95Kg
PST SL 80NB OB 2600	GATE POST	80NB	2600mm	LIGHT	NO	18.15Kg
PST SM 100NB OB 2600	GATE POST	100NB	2600mm	MEDIUM	NO	32.24Kg
STY XL 32NB 3250	STAY	32NB	3250mm	X LIGHT	NO	6.83Kg
STY XL 32NB 3600	STAY	32NB	3600mm	X LIGHT	YES	7.56Kg
STY XL 25NB 2130 B	BACK STAY - BENT	25NB	2130mm	X LIGHT	NO	3.50Kg

2100mm HIGH CHAINWIRE FENCE

PST SX 32NB OB 2700	INTERMEDIATE POST	32NB	2700mm	X LIGHT	NO	5.67Kg
PST SL 32NB OB 2700	INTERMEDIATE POST	32NB	2700mm	LIGHT	NO	7.16Kg
PST SX 50NB OB 3000	CORNER POST	50NB	3000mm	X LIGHT	YES	10.32Kg
PST SL 50NB OB 3000	CORNER POST	50NB	3000mm	LIGHT	NO	12.75Kg
PST SX 80NB OB 3000	GATE POST	80NB	3000mm	X LIGHT	YES	17.25Kg
PST SL 80NB OB 3000	GATE POST	80NB	3000mm	LIGHT	NO	20.94Kg
PST SM 100NB OB 3000	GATE POST	100NB	3000mm	MEDIUM	NO	37.20Kg
STY XL 32NB 3250	STAY	32NB	3250mm	X LIGHT	NO	6.83Kg
STY XL 32NB 3600	STAY	32NB	3600mm	X LIGHT	YES	7.56Kg
STY XL 25NB 2130 B	BACK STAY - BENT	25NB	2130mm	X LIGHT	NO	3.50Kg

Tennis Court Guide

CODE	DESCRIPTION	PIPE	LENGTH	GRADE	STOCK	WEIGHT
3000mm HIGH CHAINWIRE COURT						
PST SX 40NB OB 3600	INTERMEDIATE POST	40NB	3600mm	X LIGHT	NO	9.83Kg
PST SL 40NB OB 3600	INTERMEDIATE POST	40NB	3600mm	LIGHT	NO	12.10Kg
PST SX 40NB OB 1800	INTERMEDIATE POST	40NB	1800mm	X LIGHT	NO	4.92Kg
PST SL 40NB OB 1800	INTERMEDIATE POST	40NB	1800mm	LIGHT	NO	6.10Kg
PST SL 80NB OB 3900	CORNER POST	80NB	3900mm	LIGHT	NO	27.30Kg
PIPE 32NB 65 GLPE	RAIL	32NB	6500mm	LIGHT	YES	17.36Kg
PIPE S BEND 32NB GL 7200	RAIL 'S' BEND	32NB	7200mm	LIGHT	NO	19.10Kg
STY XL 40NB 4800	CORNER STAY	40NB	4800mm	X LIGHT	YES	13.10Kg
STY GL 40NB 4800	CORNER STAY	40NB	4800mm	LIGHT	YES	16.13Kg
GSD GL 40NB 3600	GATE SURROUND	40NB	3600mm	LIGHT	YES	12.10Kg
PST SGL 80NB 1980	NET POST X 2	80NB	1980mm	LIGHT	NO	13.82Kg
PST 90NB 795	NET POST SOCKET	90NB	795mm	LIGHT	NO	6.38Kg

3600mm HIGH CHAINWIRE COURT

PST SX 40NB OB 4420	INTERMEDIATE POST	40NB	4420mm	X LIGHT	NO	12.10Kg
PST SL 40NB OB 4420	INTERMEDIATE POST	40NB	4420mm	LIGHT	NO	14.85Kg
PST SX 40NB OB 1800	INTERMEDIATE POST	40NB	1800mm	X LIGHT	NO	4.92Kg
PST SL 40NB OB 1800	INTERMEDIATE POST	40NB	1800mm	LIGHT	NO	6.05Kg
PST SX 80NB OB 4500	CORNER POST	80NB	4500mm	X LIGHT	NO	25.88Kg
PIPE 32NB 65 GLPE	RAIL	32NB	6500mm	LIGHT	YES	17.36Kg
PIPE S BEND 32NB GL 7200	RAIL 'S' BEND	32NB	7200mm	LIGHT	NO	19.08Kg
STY XL 40NB 5300	CORNER STAY	40NB	5300mm	X LIGHT	YES	14.47Kg
GSD GL 40NB 3600	GATE SURROUND	40NB	3600mm	LIGHT	YES	12.10Kg
PST SGL 80NB 1980	NET POST X 2	80NB	1980mm	LIGHT	NO	13.82Kg
PST 90NB 795	NET POST SOCKET	90NB	795mm	LIGHT	NO	6.38Kg

Standard 3M High 34M x 17M Tennis Court Fence Kit - Top Rail only - 2 x Single Gates


COMPONENTS	QUANTITY
Chainwire - 3000 49x2.5 Heavy Gal KK	110M
Cable Wire - 3.15 Heavy Gal - 25Kg	2 Coils
Lacing Wire - 1.57 Heavy Gal - 25Kg	2 Coils
Corner Post - 3900x80NB LIGHT	4
Intermediate Post - 3600x40NB LIGHT	32
Top Rail - 6500x32NB LIGHT	18
Gate Surround - 3600x40NB LIGHT	2

COMPONENTS	QUANTITY
Gate Frame - 1980x1070 25NB LIGHT	2
Post Clamp - UFFT80	4
Rail Clamp - UFFB32	8
Tee Clamp - T4040	2
Tee Clamp - T3240	32
Gate Hinge - H4025	4
Post Cap - K80	4

Cricket Net Guide - 3000mm High Chainwire Net

CODE	DESCRIPTION	PIPE	LENGTH	GRADE	STOCK	WEIGHT
PST SX 40NB OB 3600	INTERMEDIATE	40NB	3600mm	X LIGHT	NO	9.83Kg
PST SL 40NB OB 3600	INTERMEDIATE	40NB	3600mm	LIGHT	NO	12.10Kg
PST SL 50NB OB 3900	CORNER POST	50NB	3900mm	LIGHT	NO	16.58Kg
PST SL 80NB OB 3900	CORNER POST	80NB	3900mm	LIGHT	NO	27.23Kg
PIPE 32NB 65 XL	RAIL	32NB	6500mm	X LIGHT	YES	13.65Kg
PIPE 32NB 65 GLPE	RAIL	32NB	6500mm	LIGHT	YES	17.23Kg

DOMESTIC GATES - 900~1200mm HIGH



Gate Specifications

Frame: 25NB Light - Hinge Collar Fitted
Chainwire: 50 x 2.5/3.15mm Chainwire Mesh
Lacing Wire: Ø2.0mm


Single Gate: 1 x D' Latch & Striker
Double Gate: 1 x Gate Bow, 1 x Screw on Drop Bolt
Note: Hinges NOT Included

Domestic Gates - 900~1200mm High

CODE	TYPE	GATE HEIGHT	GATE WIDTH	FRAME	MESH	FINISH	WEIGHT	STOCK
GS16G	SINGLE	900mm	900mm	25NB	50 x 2.5/3.15mm	ALL GALVANISED	11Kg	NO
GS16FC	SINGLE	900mm	900mm	25NB	50 x 2.5/3.15mm	FULL COLOUR	11Kg	NO
GD18G	DOUBLE	900mm	3000mm (2 x 1500mm)	25NB	50 x 2.5/3.15mm	ALL GALVANISED	32Kg	NO
GD18FC	DOUBLE	900mm	3000mm (2 x 1500mm)	25NB	50 x 2.5/3.15mm	FULL COLOUR	32Kg	NO
GS22G	SINGLE	1200mm	900mm	25NB	50 x 2.5/3.15mm	ALL GALVANISED	13Kg	NO
GS22FC	SINGLE	1200mm	900mm	25NB	50 x 2.5/3.15mm	FULL COLOUR	13Kg	NO
GD24G	DOUBLE	1200mm	3000mm (2 x 1500mm)	25NB	50 x 2.5/3.15mm	ALL GALVANISED	42Kg	NO
GD24FC	DOUBLE	1200mm	3000mm (2 x 1500mm)	25NB	50 x 2.5/3.15mm	FULL COLOUR	42Kg	NO

- Please specify: Left or Right hand opening - 2.50mm or 3.15mm mesh
- All gate dimensions are actual

ROUND TOP GATES - 1500~1980mm HIGH



Gate Specifications

Frame: 25NB Light - Hinge Collar Fitted
Chainwire: General - 50 x 2.50/3.15mm Mesh
Tennis Court - 49x2.50mm Mesh
Lacing Wire: Ø2.0mm
Single Gate: 1 x Shoot Bolt, 1 x Hand Hole
Double Gate: 1 x 8mm Chain, 1 x Hand Hole
1 x Screw on Drop Bolt

Note: Hinges NOT Included



SELF LATCHING LOCKABLE GATE LOCK

- SUITABLE FOR HIRE COURTS
- KEYED ALIKE
- FULLY ADJUSTABLE

PRICE \$549.00
GATE NOT INCLUDED

Round Top Gates -1500~1980mm High


CODE	TYPE	GATE HEIGHT	GATE WIDTH	FRAME	MESH	FINISH	WEIGHT	STOCK
GS28G	SINGLE	1500mm	900mm	25NB	50 x 2.5mm	ALL GALVANISED	20Kg	NO
GS28FC	SINGLE	1500mm	900mm	25NB	50 x 2.5mm	FULL COLOUR	20Kg	NO
GD31G	DOUBLE	1500mm	3000mm (2 x 1500mm)	25NB	50 x 2.5/3.15mm	ALL GALVANISED	61Kg	NO
GD31FC	DOUBLE	1500mm	3000mm (2 x 1500mm)	25NB	50 x 2.5/3.15mm	FULL COLOUR	61Kg	NO
GS34G	SINGLE	1800mm	900mm	25NB	50 x 2.5mm	ALL GALVANISED	24Kg	YES (LH)
GS34FC	SINGLE	1800mm	900mm	25NB	50 x 2.5mm	FULL COLOUR	24Kg	NO
GD36G	DOUBLE	1800mm	3000mm (2 x 1500mm)	25NB	50 x 2.5/3.15mm	ALL GALVANISED	71Kg	NO
GD36FC	DOUBLE	1800mm	3000mm (2 x 1500mm)	25NB	50 x 2.5/3.15mm	FULL COLOUR	71Kg	NO
GD38G	DOUBLE	1800mm	4000mm (2 x 2000mm)	25NB	50 x 2.5/3.15mm	ALL GALVANISED	80Kg	NO
GD38FC	DOUBLE	1800mm	4000mm (2 x 2000mm)	25NB	50 x 2.5/3.15mm	FULL COLOUR	80Kg	NO
GD39G	DOUBLE	1800mm	6000mm (2 x 3000mm)	25NB	50 x 2.5/3.15mm	ALL GALVANISED	101Kg	NO
GD39FC	DOUBLE	1800mm	6000mm (2 x 3000mm)	25NB	50 x 2.5/3.15mm	FULL COLOUR	101Kg	NO

TENNIS COURT GATES

GS40G	SINGLE	1980mm	1070mm	25NB	49 x 2.5mm	ALL GALVANISED	30Kg	YES (LH)
GS40FC	SINGLE	1980mm	1070mm	25NB	49 x 2.5mm	FULL COLOUR	30Kg	YES (LH)
GD40G	DOUBLE	1980mm	3000mm (2 x 1500mm)	25NB	49 x 2.5mm	ALL GALVANISED	73Kg	NO
GD40FC	DOUBLE	1980mm	3000mm (2 x 1500mm)	25NB	49 x 2.5mm	FULL COLOUR	73Kg	NO

- Please specify: Left or Right hand opening.
- Tennis Courts - Where available specify: 2.50mm or 3.15mm mesh.
- All gate dimensions are actual.
- Refer page 6-6 for Gate Surround.

SECURITY GATES - 1800mm HIGH



Gate Specifications

Frame:	25NB or 32NB Light - Hinge Collar Fitted	Single Gate:	1 x Shoot Bolt, 1 x Hand Hole, 2 Caps
Chainwire:	50 x 2.50/3.15mm Chainwire Mesh	Double Gate:	2 x 8mm Heavy Gal Chain, 2 x Hand Holes,
Lacing Wire:	Ø2.0mm Heavy Galvanised		2 x Drop Bolts (welded), 6 x Caps
Barbed Wire:	1.57mm Gauge Hi Tensile	Note:	Hinges NOT Included

Economy Gates - 1800mm High + 3 Rows Barbed Wire (2310mm Overall Height)

CODE	TYPE	GATE WIDTH	FRAME	MESH	FINISH	WEIGHT	STOCK
GS1GE	SINGLE	900mm	25NB	50 x 2.5mm	ALL GALVANISED	30Kg	YES (LH)
GS1FCE	SINGLE	900mm	25NB	50 x 2.5mm	FULL COLOUR	30Kg	YES (LH)
GD7GE	DOUBLE	3000mm (2 x 1500)	25NB	50 x 2.5mm	ALL GALVANISED	84Kg	YES
GD7FCE	DOUBLE	3000mm (2 x 1500)	25NB	50 x 2.5mm	FULL COLOUR	84Kg	NO
GD9GE	DOUBLE	4200mm (2 x 2100)	25NB	50 x 2.5mm	ALL GALVANISED	111Kg	NO
GD9FCE	DOUBLE	4200mm (2 x 2100)	25NB	50 x 2.5mm	FULL COLOUR	111Kg	NO
GD12GE	DOUBLE	6000mm (2 x 3000)	32NB	50 x 2.5mm	ALL GALVANISED	154Kg	YES
GD12FCE	DOUBLE	6000mm (2 x 3000)	32NB	50 x 2.5mm	FULL COLOUR	154Kg	YES
GD14GE	DOUBLE	8000mm (2 x 4000)	32NB	50 x 2.5mm	ALL GALVANISED	217Kg	NO
GD14FCE	DOUBLE	8000mm (2 x 4000)	32NB	50 x 2.5mm	FULL COLOUR	217Kg	NO


• All gate dimensions are actual - Gates without extension also available POA

Premium Gates - 1800mm High + 3 Rows Barbed Wire (2310mm Overall Height)

CODE	TYPE	GATE WIDTH	FRAME	MESH	FINISH	WEIGHT	STOCK
GS1GP	SINGLE	900mm	32NB	50 x 3.15mm	ALL GALVANISED	35Kg	YES (LH)
GS1FCP	SINGLE	900mm	32NB	50 x 3.15mm	FULL COLOUR	35Kg	YES (LH)
GD7GP	DOUBLE	3000mm (2 x 1500)	32NB	50 x 3.15mm	ALL GALVANISED	84Kg	YES
GD7FCP	DOUBLE	3000mm (2 x 1500)	32NB	50 x 3.15mm	FULL COLOUR	84Kg	NO
GD9GP	DOUBLE	4200mm (2 x 2100)	32NB	50 x 3.15mm	ALL GALVANISED	111Kg	NO
GD9FCP	DOUBLE	4200mm (2 x 2100)	32NB	50 x 3.15mm	FULL COLOUR	111Kg	NO
GD12GP	DOUBLE	6000mm (2 x 3000)	32NB	50 x 3.15mm	ALL GALVANISED	154Kg	YES
GD12FCP	DOUBLE	6000mm (2 x 3000)	32NB	50 x 3.15mm	FULL COLOUR	154Kg	YES
GD14GP	DOUBLE	8400mm (2 x 4200)	32NB	50 x 3.15mm	ALL GALVANISED	217Kg	NO
GD14FCP	DOUBLE	8400mm (2 x 4200)	32NB	50 x 3.15mm	FULL COLOUR	217Kg	NO

• All gate dimensions are actual - Gates without extension also available POA

SECURITY GATES - 2100mm HIGH



Gate Specifications

Frame:	25NB or 32NB Light - Hinge Collar Fitted	Single Gate:	1 x Shoot Bolt, 1 x Hand Hole, 2 Caps
Chainwire:	50 x 2.50/3.15mm Chainwire Mesh	Double Gate:	2 x 8mm Heavy Gal Chain, 2 x Hand Holes,
Lacing Wire:	Ø2.0mm Heavy Galvanised		2 x Drop Bolts (welded), 6 x Caps
Barbed Wire:	1.57mm Gauge Hi Tensile	Note:	Hinges NOT Included

Economy Gates - 2100mm High + 3 Rows Barbed Wire (2610mm Overall Height)

CODE	TYPE	GATE WIDTH	FRAME	MESH	FINISH	WEIGHT	STOCK
GS49GE	SINGLE	900mm	25NB	50 x 2.5mm	ALL GALVANISED	23Kg	YES (LH)
GS49FCE	SINGLE	900mm	25NB	50 x 2.5mm	FULL COLOUR	23Kg	YES (LH)
GD50GE	DOUBLE	3000mm (2 x 1500)	25NB	50 x 2.5mm	ALL GALVANISED	61Kg	YES
GD50FCE	DOUBLE	3000mm (2 x 1500)	25NB	50 x 2.5mm	FULL COLOUR	61Kg	NO
GD51GE	DOUBLE	4200mm (2 x 2100)	25NB	50 x 2.5mm	ALL GALVANISED	80Kg	NO
GD51FCE	DOUBLE	4200mm (2 x 2100)	25NB	50 x 2.5mm	FULL COLOUR	100Kg	NO
GD52GE	DOUBLE	6000mm (2 x 3000)	32NB	50 x 2.5mm	ALL GALVANISED	116Kg	YES
GD52FCE	DOUBLE	6000mm (2 x 3000)	32NB	50 x 2.5mm	FULL COLOUR	121Kg	YES
GD53GE	DOUBLE	8000mm (2 x 4000)	32NB	50 x 2.5mm	ALL GALVANISED	162Kg	NO
GD53FCE	DOUBLE	8000mm (2 x 4000)	32NB	50 x 2.5mm	FULL COLOUR	169Kg	NO

• All gate dimensions are actual - Gates without extension also available POA

Premium Gates - 2100mm High + 3 Rows Barbed Wire (2610mm Overall Height)

CODE	TYPE	GATE WIDTH	FRAME	MESH	FINISH	WEIGHT	STOCK
GS49GP	SINGLE	900mm	32NB	50 x 3.15mm	ALL GALVANISED	45Kg	YES (LH)
GS49FCP	SINGLE	900mm	32NB	50 x 3.15mm	FULL COLOUR	45Kg	YES (LH)
GD50GP	DOUBLE	3000mm (2 x 1500)	32NB	50 x 3.15mm	ALL GALVANISED	106Kg	YES
GD50FCP	DOUBLE	3000mm (2 x 1500)	32NB	50 x 3.15mm	FULL COLOUR	109Kg	NO
GD51GP	DOUBLE	4200mm (2 x 2100)	32NB	50 x 3.15mm	ALL GALVANISED	118Kg	NO
GD51FCP	DOUBLE	4200mm (2 x 2100)	32NB	50 x 3.15mm	FULL COLOUR	121Kg	NO
GD52GP	DOUBLE	6000mm (2 x 3000)	32NB	50 x 3.15mm	ALL GALVANISED	151Kg	YES
GD52FCP	DOUBLE	6000mm (2 x 3000)	32NB	50 x 3.15mm	FULL COLOUR	157Kg	YES
GD53GP	DOUBLE	8400mm (2 x 4200)	32NB	50 x 3.15mm	ALL GALVANISED	212Kg	NO
GD53FCP	DOUBLE	8400mm (2 x 4200)	32NB	50 x 3.15mm	FULL COLOUR	220Kg	NO

• All gate dimensions are actual - Gates without extension also available POA

Cable Wire

CODE	SIZE	WEIGHT	COIL	FINISH
2.5mm CABLE WIRE				
WIRE CABLE 250 GH25KG	2.5mm	25kg	625M	HEAVY GALVANISED
WIRE CABLE 250 PB25KG	2.5mm	25kg	500M	PVC COATED - BLACK
WIRE CABLE 250 PG25KG	2.5mm	25kg	500M	PVC COATED - GREEN



NOTE: CABLE WIRE ALSO
AVAILABLE IN STEMS POA

3.15mm CABLE WIRE

WIRE CABLE 315 GH10KG	3.15mm	10kg	160M	HEAVY GALVANISED
WIRE CABLE 315 GH25KG	3.15mm	25kg	400M	HEAVY GALVANISED
WIRE CABLE 315 PB10KG	3.15mm	10kg	140M	PVC COATED - BLACK
WIRE CABLE 315 PB25KG	3.15mm	25kg	350M	PVC COATED - BLACK
WIRE CABLE 315 PG10KG	3.15mm	10kg	140M	PVC COATED - GREEN
WIRE CABLE 315 PG25KG	3.15mm	25kg	350M	PVC COATED - GREEN

4.0mm HELICOIL

HELICOIL 4 GH25KG	4.0mm	25kg	250M	HEAVY GALVANISED
HELICOIL 4 PB25KG	4.0mm	25kg	225M	PVC COATED - BLACK

Tie Wire

CODE	SIZE	WEIGHT	COIL	FINISH
WIRE TIE 157 GH5KG	1.57 mm	5 kg	300M	HEAVY GALVANISED
WIRE TIE 157 PB5KG	1.57 mm	5 kg	285M	PVC COATED - BLACK
WIRE TIE 157 PG5KG	1.57 mm	5 kg	285M	PVC COATED - GREEN
WIRE TIE 200 GH5KG	2.0 mm	5 kg	200M	HEAVY GALVANISED
WIRE TIE 200 PB5KG	2.0 mm	5 kg	160M	PVC COATED - BLACK



NOTE: TIE WIRE ALSO
AVAILABLE IN STEMS POA

Barbed Wire Coils


CODE	SIZE	TYPE	COIL	WEIGHT	STOCK
WIRE BARB 157 HT 500M	1.57mm	HI TENSILE	500M	23.5Kg	YES
WIRE BARB 157 HT 100M	1.57mm	HI TENSILE	100M	5Kg	YES
WIRE BARB 250 GH	2.50mm	IOWA SOFT	400M	45Kg	NO
WIRE BARB 200 SS	2.0mm	316 S/S	200M	18Kg	NO



NEW: STAINLESS STEEL
NOW AVAILABLE - POA

Razor Tape


CODE	LOOP	FINISH	FIX CENTRES	EXT. LGTH	WEIGHT	STOCK
CONCERTINA SHORT BARB TAPE - 86 LOOPS - 3 CLIPS						
RAZ-CONCERTINA	Ø550mm	GAL	300mm	12.9M	10Kg	YES
RAZ-CONC300	Ø300mm	S/S	300mm	9M	7Kg	YES
FLAT LOOP SHORT BARB TAPE - 70 LOOPS - 2 CLIPS						
RAZ FLAT LOOP	Ø550mm	GAL	275mm	20M	9.8Kg	YES



STAINLESS STEEL ALSO
AVAILABLE - POA

CONCERTINA LONG BARB TAPE - 56 LOOPS - 3 CLIPS

RAZ-CONC760MM	Ø760mm	S/S	300mm	8.4M	13.89Kg	NO
---------------	--------	-----	-------	------	---------	----





Wire Barrier & Fencing Rope - Galvanised


CODE	DESCRIPTION	KG/100M
BR1937	WIRE ROPE - Ø19mm 3x7 STRANDS	1.208

Wire Barrier Rope is a premium quality galvanised road barrier rope that is extensively used in Australian highway infrastructure.

It conforms with the requirements of AS3569 and AS/NZS 3845 for road safety barrier systems and to the design requirements of all road safety fence systems in general use.

- Minimum rope breaking force - 165.5 KN
- 400 gm/m² zinc coating mass exceeding Class W15 galvanised coating to AS/NZ 4534.
- Pre stretched to 78 KN to ensure an elastic modulus in excess of 150 MPA.

Barrier rope is also suitable for Councils, NPWS installations and anti-ram cables in security fencing. Ask Protective Fencing for further information about any wire rope requirements.



Straightened & Cut Wire - Size & Finish Availability


FINISH	Ø3.15mm	Ø4.0mm	Ø5.0mm	Ø6.3mm	Ø7.1mm	Ø8.0mm	Ø9.0mm	Ø10.0mm
BRIGHT	YES	YES	YES	YES	YES	YES	YES	YES
STD. GALVANISED	YES	YES	YES	YES	YES	YES	YES	NO
HEAVY GALVANISED	YES	YES	YES	NO	NO	NO	NO	NO
STAINLESS STEEL	YES	YES	YES	YES	YES	YES	YES	NO
ZALCOTE®	NO	YES	YES	NO	NO	NO	NO	NO

Minimum order quantities and length limitations may apply - Contact Protective Fencing for details.



Easy-Ty Security Ties

CODE	DESCRIPTION	STOCK
EASYTY32	Ø2mm WIRE TIE TO SUIT 32NB PIPE	YES
EASYTY40	Ø2mm WIRE TIE TO SUIT 40NB PIPE	YES
EASYTY50	Ø2mm WIRE TIE TO SUIT 50NB PIPE	YES
EASYTY65	Ø2mm WIRE TIE TO SUIT 65NB PIPE	YES
EASYTY80	Ø2mm WIRE TIE TO SUIT 80NB PIPE	YES
EASYTYTOOL	TOOL TO SUIT ALL TIE SIZES	YES



Bag Ties

CODE	SIZE	PACK	FINISH	STOCK
SRT125	1.25mm	1000	STAINLESS STEEL	YES
SRT16	1.6mm	1000	STAINLESS STEEL	YES



Maspro Rings & Hand Tool

CODE	RING	PACK	QTY	FINISH	STOCK
MASPRO 200 GH 1 KG	2.00mm	1Kg	1000	HEAVY GALVANISED	YES
MASPRO 200 PB 1 KG	2.00mm	1Kg	650	PVC COATED - BLACK	YES
MASPRO 200 PG 1 KG	2.00mm	1Kg	650	PVC COATED - GREEN	YES


WCPLIER	MASPRO CLIP PLIERS - SINGLE RING USE
---------	--------------------------------------



Pneumatic C-Clip Gun & Clips

CODE	SIZE	LOAD	TUB	FINISH	STOCK
AC44ZAC	2.3mm	78/STRIP	3120	ZINC/ALUMINIUM	NO
AC44ZBC	2.3mm	78/STRIP	3120	ZINC/ALUMINIUM BLACK	NO

AC41M	PNEUMATIC GUN - 85/120PSI 8/10CFM - 2Kg
-------	---



- C-Clips are made from medium tensile Zinc Aluminium wire (W05Z5A) which is equivalent to Heavy Galvanised wire and is compliant with AS1725-2010.




Airco Gabion Rings & Tools

CODE	SIZE	LOAD	CARTON	FINISH	STOCK	PRICE
RC00451P	3mm	40/STRIP	1600	ZINC/ALUMINIUM	NO	
RC00453	3mm	40/STRIP	1600	STAINLESS STEEL	NO	

TGR5000M	MANUAL TOOL - AUTO FEED MAGAZINE - LONG HANDLE - 5Kg
TGR5000	PNEUMATIC TOOL - AUTO FEED MAGAZINE - 6.6Kg

- Overlap clinch for stronger more secure connections.



NOTES

This image shows a full page of blank graph paper. The grid consists of small, uniform squares formed by thin, light gray lines. There are no margins, text, or other markings on the page.



HIGH SECURITY FITTINGS & ACCESSORIES

Bulldog Spike Razor Top - Galvanised

CODE	DESCRIPTION	WEIGHT
PBRT	H50xW110mm SPIKE - 800mm LONG	1.1Kg


- Curved base suitable for round pipe or any flat surface.
- Interlocking predrilled sections to create a continuous effective deterrent.



Mesh Joiners - Suit Ø5mm Mesh Sheets - Galvanised

CODE	DESCRIPTION	WEIGHT
PHJ24H	TYPE 1 H JOINER- 2400mm LONG	7.3Kg
PCJ24H	TERMINATION - 2400mm LONG	6.3Kg

- Comply with the requirements of Ausgrid substation specifications
- Longer lengths available upon request



Concertina Razor Tape Support Mesh - Galvanised

CODE	DESCRIPTION	WEIGHT
PM RWS	'V' SUPPORT 358 MESH - 2400mm LONG	3.0Kg
PM EARWS	'V' SUPPORT EA MESH - 2400mm LONG	2.4Kg




Fibreglass Posts - Isophthalic Polyester Resin - Grey

CODE	DESCRIPTION	WEIGHT
PP FIB 4500	203x203x9.5mm 'I' BEAM - 4500mm LONG	43.5Kg
PPSCRTUBE	100x100x6mm TUBE - 4500mm LONG	28.3Kg

- Commonly used for electrical isolation panels.

Gate Keeper Bollard - Fibreglass Post & Powdercoated Safety Yellow Keeper


CODE	DESCRIPTION	WEIGHT
PPBOLLARD	100x100X6mm F/G POST - 1500LG	10.2Kg



In Ground High Security Post Sleeve - Hot Dip Galvanised

CODE	DESCRIPTION	WEIGHT
PPSLEEVES	150x150X6mm - 1100mm LONG	43Kg

- Allows T posts to be removed and re-attached easily while maintaining high security.
- Unique self aligning system.




FASTENERS

Anti Tamper Screws - Irius Drive

CODE	DIA.	MAX DRILL	ETL	LENGTH	CTN	KG/100
PSD8/8	5.5mm	8mm	8mm	25mm	250	0.54
PSD14/12	5.5mm	14mm	12mm	32mm	250	0.69


ETL = EFFECTIVE THREAD LENGTH MAX DRILL = MAXIMUM DRILL CAPACITY

PE420 IRIUS DRIVE TOOL



Cup Head Bolts & Nuts - Galvanised

CODE	SIZE	LENGTH	KG/100
PM825G	M8	25mm	1.27
PM830G	M8	30mm	1.52
PM840G	M8	40mm	1.9



T Bolt - Suit 'W' Palisade Pales - Galvanised

CODE	SIZE	KG/100
PP TB825G	M8X25	1.15



Shear Nuts - Galvanised

CODE	SIZE	KG/100
PSNM8G	M8	1.3
PSNM12G	M12	2.7




Washers- Galvanised

CODE	SIZE	KG/100
DWG8MM	M8	0.29
DWG10MM	M10	0.42
DWG12MM	M12	0.7
DWG16MM	M16	1.38



Promax 358 Mesh Fixing Clips - Galvanised

CODE	DESCRIPTION	KG/100
PFCG	SUIT M8 BOLT - 2 WIRE COVER - 2mm STEEL	1.1
PFC50G	SUIT M8 BOLT - 4 WIRE COVER - 2mm STEEL	2.3



Wire Panel & Razor Tape Clips - Galvanised

CODE	DESCRIPTION	FINISH	KG/100
DUC8/10G	25mm 'U' PANEL CLIP - Ø8 HOLE	HDG	0.9
DUC19G	19mm 'U' PANEL CLIP - Ø8 HOLE	HDG	0.74
VSFC	VERISMART FENCE CLIP - Ø6 HOLE	GALVABOND	0.84
PRUC	CONCERTINA RAZOR TAPE CLIP -	GALVABOND	1.1



DUC8/10G



VSFC

UNIQUE WIRE
CLAMPING
ACTION




PRUC

WITH
ANTI-TWIST
LOCK

UNI-FIT CHAINWIRE FENCING AND RAILING SYSTEM

Different fittings are made by connecting a cup and ring together using supplied bolt and tightening with a 6mm Allen Key (55NM). Rails are secured to the fitting with grub screws with the option of adding a security screw. All fittings include a tap security plug for grub screw.

- Versatile multi-adjustable system.
- Raking up to 80°
- AS 1657/1992, AS/NZS 1170.1/2002 compliant.
- Reduced stock holdings.
- No welding.
- No accurate pre-site measuring required.
- 2 year warranty.



Uni-Fit Fittings - Hot Dip Galvanised

CODE	DESCRIPTION	PIPE	CARTON	KG/ITEM
CUP + BOLT				
UNCP25	POST/RAIL END CUP	25NB	176	0.15
UNCP32	POST/RAIL END CUP	32NB	136	0.21
UNCP40	POST/RAIL END CUP	40NB	104	0.23
UNCP50	POST/RAIL END CUP	50NB	76	0.37
UNCP80	POST/RAIL END CUP	80NB	36	0.5
1 WAY RING				
UN1R25	ADJUST. 1 WAY FITTING	25NB	144	0.17
UN1R32	ADJUST. 1 WAY FITTING	32NB	96	0.22
UN1R40	ADJUST. 1 WAY FITTING	40NB	80	0.23
UN1R50	ADJUST. 1 WAY FITTING	50NB	52	0.30
UN1R80	ADJUST. 1 WAY FITTING	80NB	28	0.39
2 WAY RING				
UN2R32	ADJUST. 2 WAY FITTING	32NB	72	0.20
UN2R40	ADJUST. 2 WAY FITTING	40NB	72	0.27
UN2R50	ADJUST. 2 WAY FITTING	50NB	40	0.30
UN2R80	ADJUST. 2 WAY FITTING	80NB	28	0.50
2 WAY SPLIT RING				
UFS2-40	ADJUST. OFFSET 2 WAY FITTING	40NB	72	0.36
2 WAY 90° RING				
UN4R40	ADJUST. 2 WAY FITTING	40NB	72	0.27
UN4R50	ADJUST. 2 WAY FITTING	50NB	40	0.35

Used on middle rail when raking up stairs

Note: All Uni-Fit fittings come with tap-in steel security plugs for grub screws



Uni-Fit Fittings - Hot Dip Galvanised



CODE	DESCRIPTION	PIPE	CARTON	KG/ITEM
4 WAY RING				
UN4R32	ADJUST. 2 WAY FITTING	32NB	72	0.28
UN4R40	ADJUST. 2 WAY FITTING	40NB	72	0.35
UN4R50	ADJUST. 2 WAY FITTING	50NB	40	0.55



RAIL PLATE				
UNRP32/40/50	SCREW ON RAIL PLATE	32,40,50NB	280	0.09



STRAIGHT JOINER				
UFJ180-25	INTERNAL JOIN	25NB	44	0.32
UFJ180-32	INTERNAL JOIN	32NB	50	0.43
UFJ180-40	INTERNAL JOIN	40NB	25	0.53
UFJ180-50	INTERNAL JOIN	50NB	25	0.70



ANGLE RAIL JOINER				
UFJ90-25	90° RAIL JOINING ELBOW	25NB	-	0.32
UFJ90-32	90° RAIL JOINING ELBOW	32NB	-	0.44
UFJ90-40	90° RAIL JOINING ELBOW	40NB	-	0.68
UFJ90-50	90° RAIL JOINING ELBOW	50NB	-	0.76
UFJ127-32	127° RAIL JOINING ELBOW	32NB	-	0.44
UFJ127-40	127° RAIL JOINING ELBOW	40NB	-	0.68



HAND RAIL BRACKET				
UNRB	SUITS 32NB, 40NB, 50NB RAILS		48	0.38




KICK PLATE				
UNKP40	KICK RAIL BRACKET	40NB	40	0.32



Note: All Uni-Fit fittings include tap in steel security plugs to cover grub screws.

Two Part Interlock Hinges with Attachment - Galvanised


CODE	POST	GATE	CARTON	KG/ITEM
DTH4025	40NB	25NB	32	0.27
DTH4032	40NB	32NB	32	0.75
DTH5025	50NB	25NB	32	0.63
DTH5032	50NB	32NB	32	0.78
DSH8025	80NB	25NB	24	0.88
DSH8032	80NB	32NB	24	0.92
DSH8040	80NB	40NB	24	0.96
DSH10025	100NB	25NB	24	1.0
DSH10032	100NB	32NB	24	0.96



POWDER COATING SERVICE AVAILABLE - ADDITIONAL CHARGE PER FITTING

Adjustable Corners - Galvanised


CODE	BUTT	THRU	CARTON	KG/ITEM
DAC2525	25NB	25NB	30	0.57
DAC2532	25NB	32NB	30	0.64
DAC2540	25NB	40NB	30	0.7
DAC2550	25NB	50NB	20	0.8
DAC3232	32NB	32NB	20	0.85
DAC3240	32NB	40NB	16	0.88
DAC3250	32NB	50NB	16	0.88
DAC4040	40NB	40NB	16	0.94
DAC4050	40NB	50NB	16	0.94
DAC5050	50NB	50NB	12	1.25



POWDER COATING SERVICE AVAILABLE - ADDITIONAL CHARGE PER FITTING

Adjustable Rail Tee - Galvanised

CODE	RAIL	POST	CARTON	KG/ITEM
DART2525	25NB	25NB	30	0.8
DART2532	25NB	32NB	30	0.84
DART2540	25NB	40NB	20	1.1





POWDER COATING SERVICE AVAILABLE - ADDITIONAL CHARGE PER FITTING

Universal Clamp Fittings - Galvanised


CODE	DESCRIPTION	PIPE	CARTON	KG/ITEM
RAIL CLAMPS				
DUFFB25	RAIL CLAMP	25NB	40	0.35
DUFFB32	RAIL CLAMP	32NB	30	0.4
DUFFB40	RAIL CLAMP	40NB	30	0.47
DUFFB50	RAIL CLAMP	50NB	20	0.55
POST CLAMPS				
DUFFT25	POST CLAMP	25NB	50	0.18
DUFFT32	POST CLAMP	32NB	40	0.23
DUFFT40	POST CLAMP	40NB	40	0.23
DUFFT50	POST CLAMP	50NB	40	0.25
DUFFT65	POST CLAMP	65NB	30	0.3
DUFFT80	POST CLAMP	80NB	20	0.35
DUFFT100	POST CLAMP	100NB	20	0.45
MULTI PURPOSE POST/RAIL CLAMP CONNECTOR				
DUFFMPC	MULTI-PURPOSE CONNECTOR		100	0.05

POWDER COATING SERVICE AVAILABLE - ADDITIONAL CHARGE PER FITTING



Fixed Tee Clamps - Galvanised


CODE	THRU	BUTT	CARTON	KG/ITEM
DT2525	25NB	25NB	50	0.23
DT2532	25NB	32NB	40	0.35
DT2540	25NB	40NB	30	0.5
DT3225	32NB	25NB	40	0.5
DT3232	32NB	32NB	40	0.4
DT3240	32NB	40NB	20	0.55
DT3250	32NB	50NB	20	0.8
DT4025	40NB	25NB	40	0.38
DT4032	40NB	32NB	30	0.48
DT4040	40NB	40NB	20	0.55
DT4050	40NB	50NB	10	0.9
DT5025	50NB	25NB	30	0.43
DT5032	50NB	32NB	30	0.54
DT5040	50NB	40NB	20	0.8
DT5050	50NB	50NB	10	0.95
DT8025	80NB	25NB	10	0.6
DT8032	80NB	32NB	10	0.95
DT8040	80NB	40NB	10	1.05
DT8050	80NB	50NB	10	1.3



POWDER COATING SERVICE AVAILABLE - ADDITIONAL CHARGE PER FITTING

Fixed Cross - Galvanised


CODE	BUTT	THRU	CARTON	KG/ITEM
DX2525	25NB	25NB	30	0.45
DX2532	25NB	32NB	20	0.57
DX2540	25NB	40NB	30	0.54
DX2550	25NB	50NB	20	0.6
DX3232	32NB	32NB	20	0.67
DX3240	32NB	40NB	20	0.57
DX3250	32NB	50NB	10	0.94
DX4040	40NB	40NB	20	0.7
DX4050	40NB	50NB	10	0.55
DX5050	50NB	50NB	10	0.9



**POWDER COATING SERVICE
AVAILABLE - ADDITIONAL
CHARGE PER FITTING**

Fixed Corners - Galvanised


CODE	BUTT	THRU	CARTON	KG/ITEM
DC2525	25NB	25NB	30	0.45
DC2532	25NB	32NB	20	0.64
DC2540	25NB	40NB	20	0.54
DC2550	25NB	50NB	20	0.6
DC3232	32NB	32NB	20	0.6
DC3240	32NB	40NB	10	0.8
DC3250	32NB	50NB	10	1.1
DC4040	40NB	40NB	10	1.0
DC4050	40NB	50NB	10	1.1
DC5050	50NB	50NB	5	1.8



**POWDER COATING SERVICE
AVAILABLE - ADDITIONAL
CHARGE PER FITTING**


Clamp On Hinges - Galvanised

CODE	POST	GATE	CARTON	KG/ITEM
DH2520	25NB	20NB	30	0.57
DH2525	25NB	25NB	20	0.6
DH3225	32NB	25NB	20	0.67
DH4020	40NB	20NB	20	0.75




2 Part Hinges with Attachment - Galvanised

CODE	POST	GATE	CARTON	KG/ITEM
DH4025	40NB	25NB	20	0.64
DH4032	40NB	32NB	20	0.6
DH5032	50NB	32NB	20	0.75




Strap Type Hinges with Attachment - Galvanised

CODE	POST	GATE	CARTON	KG/ITEM
DH8040	80NB	40NB	10	1.0
DH10032	100NB	32NB	10	1.2
DH10040	100NB	40NB	10	1.2



Two Part Interlock Hinges with Attachment - Galvanised

CODE	POST	GATE	CARTON	KG/ITEM
DH5025D	50NB	25NB	20	0.7
DH8025D	80NB	25NB	10	0.72
DH8032D	80NB	32NB	10	0.79




Post Caps

CODE	PIPE	FINISH	CARTON	KG/ITEM
------	------	--------	--------	---------

ROUND POST CAP

DK25	25NB	GALVANISED	150	0.052
DK32	32NB	GALVANISED	100	0.074
DK40	40NB	GALVANISED	80	0.085
DK50	50NB	GALVANISED	50	0.024
DK80	80NB	GALVANISED	20	0.225
DK100	100NB	GALVANISED	20	0.325




ROUND POST CAP - WELD ON

DK100WO	100NB	GALVANISED	70	0.243
---------	-------	------------	----	-------

SQUARE TUBE CAP

DK50MSGB	50x50	GALVABOND	100	0.054
----------	-------	-----------	-----	-------




Flanges - Galvanised

CODE	SIZE	PIPE	CARTON	KG/ITEM
------	------	------	--------	---------


OVAL FLANGES

DF25	108x61x4mm	25NB	100	0.134
DF32	123x75x5mm	32NB	50	0.229
DF40	128x81x5mm	40NB	30	0.25
DF50	145x98x5mm	50NB	30	0.35




SQUARE FLANGES

DF32H	100x100x5mm	32NB	30	0.40
DF40H	100x100x5mm	40NB	30	0.375
DF50H	130x130x5mm	50NB	20	0.64



SQUARE FLANGE PLATE


DF130SP	130x130x5mm	-	20	0.64
---------	-------------	---	----	------



Temporary Fence Clamp - Galvanised

CODE	SIZE	CENTRES	CARTON	KG/ITEM
------	------	---------	--------	---------

DTFCN2525	25NB x 25NB	71mm	50	0.25
DTFCN3232	32NB x 32NB	80mm	20	0.31
DTFCN4040	40NB x 40NB	85mm	20	0.645
DTFCN5050	50NB x 50NB	104mm	20	0.77



Post & Rail Joiners - Internal - 200mm - Galvanised

CODE	PIPE	CARTON	KG/ITEM
------	------	--------	---------

DSSI25	25NB XL, GL	44	0.32
DSSI32	32NB XL, GL	50	0.43
DSSI40	40NB XL, GL	25	0.53
DSSI50	50NB XL, GL	25	0.70



Security Rail Bracket & Sleeve - Galvanised


CODE	TYPE	TUBE	CARTON	KG/ITEM
------	------	------	--------	---------

DSRB620-92	BRACKET	40x40mm	50	0.25
DCUSMS	SLEEVE	40x40mm	200	0.117




Pipe Hinge Straps & Attachments - Galvanised

CODE	TYPE	PIPE/SUIT	CARTON	KG/ITEM
HINGE STRAPS				
DS3	STRAP HINGE	25NB	30	0.26
DS4	STRAP HINGE	32NB	30	0.32
DS5	STRAP HINGE	40NB	30	0.34
DS6	STRAP HINGE	50NB	30	0.34
ATTACHMENTS				
DA3	ATTACHMENT	25NB	100	0.08
DA4	ATTACHMENT	32NB	100	0.1
BACKING PLATES				
DBP3	BACKING PLATE	25NB	100	0.12
DBP4	BACKING PLATE	32NB	100	0.15




Bolt-on 'D' Latch & Striker - Galvanised

CODE	TYPE	CARTON	KG/ITEM
DCAC29	LATCH	50	0.217
DBTS28R	STRIKER	50	0.167
DLH	HANDLE 165mm	100	0.042
DLHX	HANDLE 185mm	100	0.047




Drop Bolt & Lugs - Galvanised

CODE	DESCRIPTION	LENGTH	CARTON	KG/ITEM
DB2	Ø16mm BOLT	370mm	20	0.72
DB3	Ø16mm BOLT	850mm	10	1.50
DL2	LUG / SUIT Ø16mm	-	200PRS	0.056




Security Drop Bolt - Galvanised

CODE	DESCRIPTION	LENGTH	CARTON	KG/ITEM
DFPDB900	Ø16mm BOLT	900mm	5	2.0
DFPDB1200	Ø16mm BOLT	1200mm	5	2.6
DL2	LUG / SUIT Ø16mm	-	200PRS	0.056




Drop Bolt & Slide Plate - Galvanised

CODE	LENGTH	CARTON	KG/ITEM
DB15LG	400mm	20	0.53




Shoot Bolt & Slide Plate - Zinc Plated

CODE	LENGTH	CARTON	KG/ITEM
DB8	150mm	30	0.30
DB9	270mm	20	0.43



Double Gate Bow - Galvanised

CODE	GATE	CARTON	KG/ITEM
DCAC22	25NB	15	0.68



NOTES


This image shows a full page of blank graph paper. The grid consists of small, equal-sized squares formed by thin gray lines. There are no margins, text, or other markings on the page.




SAFETY FENCING

Edge Protection Fencing - Complies with AS1657-1992 and AS/NZS4576-1995

CODE	DESCRIPTION	WEIGHT
PANEL - PRE GAL MESH - 150mm HIGH GALVABOND KICK PLATE		
EDPR10	PANEL - Ø4 WIRE - 50x50 PITCH - 2400 x 1000mm	13.14Kg
POST - FLANGED + PVC CAP - 50X50RHS 1005mm LONG - GALVANISED		
EP5050	SLIDE AND LOCK POST - 152X152X5 FLANGE PLATE	2.5Kg



SLIDE AND LOCK MECHANISM
WITH FIXING LUGS



BUILT IN KICK PLATE
152X152



FIXING FLANGE -
USE 12X75 DYNABOLTS



Safety & Walkway Fencing - Powdercoated Safety Yellow

CODE	DESCRIPTION	WEIGHT
WALKWAY FENCING - 1200 HIGH - SAFETY YELLOW		
WFGD12	PANEL - GARDEN W2400 X H1200 - ZALCOTE P/C	16.7Kg
WFBL12	PANEL - BOULEVARD W2400 X H1200 - ZALCOTE P/C	20.5Kg
WFGD12G	GATE - GARDEN 1M OPENING - HDG P/COATED	10.2Kg
WFBL12G	GATE - BOULEVARD 1M OPENING - HDG P/COATED	15.4Kg
WFP19	POST - 50x50 RHS - 1900 LG + CAP - GAL P/COATED	5.0Kg
WFP13F	POST FLANGED - 50x50 RHS - 1300 LG + CAP - GAL P/C	4.2KG
SAFETY FENCING - 1800 HIGH - SAFETY YELLOW		
SFGD18	PANEL - GARDEN W2400 X H1800 - ZALCOTE P/COATED	16.7Kg
SFBL18	PANEL - BOULEVARD W2400 X H1800 - ZALCOTE P/C	26.2Kg
SFGD18G	GATE - GARDEN 1M OPENING - HDG P/COATED	14.2Kg
SFBL18G	GATE - BOULEVARD 1M OPENING - HDG P/COATED	19.6Kg
SFP24	POST - 50x50 RHS - 2400 LG + CAP - GAL P/COATED	6.0Kg
SFP19F	POST FLANGED - 50x50 RHS -1900 LG + CAP - GAL P/C	5.9Kg
FITTINGS - GALVANISED		
SCP18G	PANEL FIXING 18 PACK (18 CLIPS + 18 TEK SCREWS - GAL	
S STD SG PK G	SINGLE GATE PACK - 2 HINGES, 'D' LATCH/STRIKER + CAPS - GAL.	



BALLTUBE HANDRAIL SYSTEM

The Balltube Handrail System meets today's need for cost and time saving techniques in the installation of walkways, stairs and ladders.

The advantages of this modular system over other methods, are that it allows for speedy erection and finishing with a minimum of on-site welding. This results in considerable savings in time and labour costs.

The components delivered on-site consist of fully galvanised stanchions, rails, bends, kick-plates, slip-joints, closures, etc., ready for trouble free erection.



W-BEAM HIGHWAY BARRIER SYSTEM

The semi-rigid W shape section galvanised steel highway barrier is the most common road side crash barrier in use in Australia. The W-Beam is roll formed from 2.7mm BMT HA350 coil steel, sheared to length, punched/slotted and galvanised to AS/NZS 3845:1999.


W-Beam is available ex stock in 2 standard types, 4M NLL with 2M post centres or 5M NLL with 2.5M post centres. Standard straight beams in both types will align to give a smooth transition on curves with a radius greater than 45M. Pre curved W-Beams are available for radii from 2.4M to 45M and may be curved concave or convex to the traffic face.

The W-Beam Highway Barrier System complies with the requirements of AASHTO and AS/NZS 3845:1999 (Road Safety Barrier Systems) and is approved for use by all Australian state road authorities. Specifications differ slightly between states, contact Protective for more details. Illustration below relates to system approved for use by RTA (NSW), SA, WA and NT.

Other barrier systems available, contact Protective Fencing for details.



TYPICAL PANEL ARRANGEMENT







W-BEAM HIGHWAY BARRIER SYSTEM

W-Beam - Hot Dip Galvanised

CODE	DESCRIPTION	WEIGHT
BEAMS		
W100G	4M W-BEAM - 2M POST CENTRES (AS SHOWN)	45.7Kg
W300G	5M W-BEAM - 2.5 POST CENTRES	56.3Kg



W113G	1M INFILL W-BEAM	13.9Kg
W105G	2M INFILL W-BEAM	24.6Kg
W303G	2.5M INFILL W-BEAM	29.8Kg
W117G	3M INFILL W-BEAM	35.1Kg
W107G	3.81M INFILL W-BEAM	43.7Kg



TRAFFIC FACE CURVATURE

POSTS AND SPACERS


P100G	C POST W-BEAM -1800mm LONG	23.3Kg
PB110G	C POST W-BEAM BASE PLATED - 730mm LONG	16.5Kg
B100G	BLOCKOUT W-BEAM 360mm LONG	4.6Kg

W-BEAM ACCESSORIES


W500G	STIFFENER PLATE	4.7Kg
W501G	TERMINAL CONNECTOR	10.2Kg
W507G	FISHTAIL TERMINAL	8.6Kg
W503GC	BULLNOSE TERMINAL	20.2Kg
W509G	CAR PARK TERMINAL	14.2Kg
WGC	CURVING CHARGE FOR W BEAM	-




STIFFENER




TERMINAL CONNECTOR



FISHTAIL TERMINAL



CAR PARK TERMINAL



BULLNOSE TERMINAL

RMS PEDESTRIAN FENCE

Pedestrian fencing is designed to prevent pedestrians crossing the road at unsafe locations and guide them to safer crossing points. A pedestrian fence is not a safety barrier and it is not designed to exhibit the characteristics of a safety barrier.

The RMS (RTA) designed pedestrian fence comprises panels which are designed to collapse as a whole panel when impacted to minimise the detachment of individual elements. The fences also feature a staggered layout of the balusters allowing motorists and pedestrians approaching on opposite sides of the fence to see each other. There are 6 RMS approved designs for use as pedestrian barriers. The most common are types 1 & 5 which are available from Protective Fencing.




Pedestrian Fence - Hot Dip Galvanised & Powdercoated

CODE	DESCRIPTION	WEIGHT
RTAP1	TYPE 1 PEDESTRIAN PANEL - MEDIAN OR VERGE - 2M POST CENTRES	55Kg
RTAP5	TYPE 5 PEDESTRIAN PANEL - MEDIAN OR VERGE - 2M POST CENTRES)	60Kg
RTAIPG	INTERMEDIATE STANDARD POST - IN GROUND - POST CAP NOT INCLUDED	22Kg
RTAIPF	INTERMEDIATE STANDARD POST - BASE PLATED - POST CAP NOT INCLUDED	27Kg
RTAEPG	END POST - IN GROUND	30Kg
RTAEPF	END POST - BASE PLATED	35Kg
RTACBC	CROSS BREAK POST CAP - INCLUDES DOME NUTS AND BOOKER ROD	0.1Kg
RTACIR	INFILL CIRCLES	1Kg

Note: Pedestrian fence cannot be raked. Fence is stepped only.


Median = Middle of road. Verge = Kerb side.



TYPE 1



TYPE 5



CROSS BREAK




RURAL PRODUCTS

Star Pickets

CODE	LENGTH	SLING	WEIGHT/BDL	STOCK
HEAVY BITUMEN COATING				
SRP60 - IMP	600mm	200	11.4Kg	NO
SRP90 - IMP	900mm	200	17.1Kg	NO
SRP135 - IMP	1350mm	200	25.6Kg	NO
SRP150 - IMP	1500mm	200	28.5Kg	NO
SRP165 - IMP	1650mm	200	31.3Kg	NO
SRP180 - IMP	1800mm	200	34.2Kg	NO
SRP210 - IMP	2100mm	200	39.9Kg	NO
SRP240 - IMP	2400mm	200	45.6Kg	NO

HOT DIP GALVANISED

SRP135-UP	1350mm	200	25.6Kg	NO
SRP165-UP	1650mm	200	31.3Kg	NO
SRP180-UP	1800mm	200	34.2Kg	NO



- Minimum order of a bundle of 10 pickets applies.
- Discounts apply for purchases over 400.
- Barbed Wire, Cable and Tie Wire - Refer page 7.1


Star Picket Safety Cap

CODE	DESCRIPTION	BAG
RPSC	SAFETY CAP - YELLOW PLASTIC	20



Farm Gates - 25NB Centre Brace Frame - 1170mm High

CODE	INFILL	WIDTH	WEIGHT
WELDED WIRE MESH INFILL - GALVANISED FRAME			
FG258M	Ø5mm WIRE - 100x200mm MESH	8ft (2420mm)	17.7Kg
FG2510M	Ø5mm WIRE - 100x200mm MESH	10ft (3050mm)	26.6Kg
FG2512M	Ø5mm WIRE - 100x200mm MESH	12ft 3620mm)	28.0Kg
FG2514M	Ø5mm WIRE - 100x200mm MESH	14ft (4220mm)	34.5Kg
BLACK PVC CHAINWIRE LACED TO BLACK POWDERCOATED FRAME			
FG258C	50x2.5 BLACK PVC CHAINWIRE	8ft (2420mm)	19.4Kg
FG2510C	50x2.5 BLACK PVC CHAINWIRE	10ft (3050mm)	28.3Kg
FG2512C	50x2.5 BLACK PVC CHAINWIRE	12ft 3620mm)	28.7Kg
FG2514C	50x2.5 BLACK PVC CHAINWIRE	14ft (4220mm)	36.3Kg






RURAL PRODUCTS

Farm Gate Fittings - Galvanised

CODE	DESCRIPTION
RFGPP	PRO FARM GATE PACK - 25NB GATE
RFGDP	DIY FARM GATE PACK - 25NB GATE



PRO GATE PACK



DIY GATE PACK

Farm Yard Mesh Sheets - Galvanised

CODE	WIRE	SIZE (CENTRES)	SHEET (WxH)	WEIGHT
SHEEP YARD MESH				
SYM1100	Ø5.6mm	100x150mm	3600x1100mm	13.5Kg
SYM900	Ø5.6mm	100x150mm	3600x900mm	11.0Kg
CATTLE YARD MESH				
CYM3612G	Ø8.0mm	100x200mm	3600x1200mm	30Kg
FARM GATE INFILL MESH				
FGI18	Ø5.0mm	100x200mm	2400x1100mm	7.0Kg
FGI10	Ø5.0mm	100x200mm	3000x1100mm	8.5Kg
FGI12	Ø5.0mm	100x200mm	3600x1100mm	10.1Kg

Pig Flooring Mesh Sheets - Hot Dip Galvanised

CODE	WIRE	SIZE(CENTRES)	SHEET(HxW)	STOCK	WEIGHT
FARROWING PEN FLOORING					
PF5900	Ø5.0mm	10x50mm	2400x900mm	YES	44.1Kg
PF5120	Ø5.0mm	10x50mm	2400x1200mm	YES	53.8Kg
PF6390	Ø6.3mm	10x50mm	2400x900mm	YES	65.2Kg
PF6312	Ø6.3mm	10x50mm	2400x1200mm	YES	87.3Kg
BACON / GROWER FLOORING					
BF1090	Ø6.3mm	10x70mm	2400x900mm	YES	67.5Kg
BF1012	Ø6.3mm	10x70mm	2400x1200mm	YES	90.0Kg
BF1290	Ø6.3mm	12x70mm	2400x900mm	YES	57.9Kg
BF1212	Ø6.3mm	12x70mm	2400x1200mm	YES	76.9Kg

STEEL TUBULAR FENCING - SECURITY TUBE - POWDERCOATED

Specifications

Standards:	AS 1926 1-1993	Vertical Bars:	25mm x 25mm
Horizontal Rails:	40mm x 40mm RHS	Gate Stiles:	65mm x 65mm RHS

DOUBLE WELD TOP AND BOTTOM

Included Fittings (only if posts purchased with panels and gates)


Standard Single Gate:	2 x Hinges, 1 x 'D' Latch and Striker
Standard Double Gate:	4 x Hinges, 1 x 'D' Latch and Striker, 2 x Drop Bolts
Panel:	4 x 'L' Brackets, 8 x 12-20 Tek Screws

Industrial Security Tube Fencing - 25 x 25mm Crimped Bars - Pre Galvanised - Powdercoated

DESCRIPTION	1800mm	2100mm
PANEL 2400mm WIDE		
PANEL 3000mm WIDE		
SINGLE GATE 980mm POST OPENING		
DOUBLE GATE 3000mm POST OPENING		

- Panel & gate fittings are an extra cost if **NO** posts are ordered


SECURITY TUBE FENCING TO SCHOOL SPECIFICATIONS AVAILABLE - POA



Posts with Steel Cap - Powdercoated



SIZE	2400mm	2700mm	3000mm
50 x 50 x 1.6mm			
65 x 65 x 1.6mm			
75 x 75 x 1.6mm			
100 x 100 x 1.6mm			

- Panel & gate fittings are an extra cost if **NO** posts are ordered




Optional Fittings

DESCRIPTION
BRACKET 40x40mm CAST ALUMINIUM (POWDER COATED)
SECURITY RAIL BRACKET & SLEEVE 40x40mm (POWDER COATED)



Security Tube Punched Rail - 40 x 40 x 1.6mm Tube - 25 x 25mm Hole - Galvabond


CODE	LENGTH	PUNCH	HOLES	WEIGHT	STOCK
GB PRS 4040 240	2400mm	SINGLE	17	4.3Kg	NO
GB PRD 4040 240	2400mm	DOUBLE	17	4.3Kg	YES
GB PRS 4040 300	3000mm	SINGLE	21	5.4Kg	NO
GB PRD 4040 300	3000mm	DOUBLE	21	5.4Kg	YES



SOLD IN PACK QUANTITIES OF 10 ONLY

Security Tube Punched Rail - 38 x 25 x 1.6mm Tube - Ø16mm Hole - Galvabond

CODE	LENGTH	PUNCH	HOLES	WEIGHT	STOCK
GB PRS 3825 24025	2400mm	SINGLE	25	3.6Kg	YES
GB PRD 3825 24025	2400mm	DOUBLE	25	3.6Kg	YES



SOLD IN PACK QUANTITIES OF 10 ONLY

Security Tube Pickets - 25 x 25mm Tube - Crimped - Galvabond

CODE	LENGTH	WEIGHT	STOCK
GB SP 2525 180	1800mm	1.5Kg	YES
GB SP 2525 210	2100mm	1.8Kg	YES
GB SP 2525 240	2400mm	2.1Kg	YES



SOLD IN PACK QUANTITIES OF 10 ONLY

